INTERNATIONAL VERSION



2020 ACCESSORIES + APPAREL

LIVE VIDE OPEN



2020 LINEUP



RZR PRO XP ULTIMATE

RZR PRO XP PREMIUM

XTREME PERFORMANCE







RZR XP 4 TURBO S

RZR XP 4 TURBO





YOUTH





RZR PRO XP







RZR XP 4 1000

RZR 570

P. **75**

CONTENTS

PRO	4
AUDIO	8
WINDSHIELDS, ROOFS, REAR PANELS, DOORS	10
VEHICLE PROTECTION & LIGHTING	12
STORAGE	14
INSPIRATION	16

XTREME PERFORMANCE 18 WINDSHIELDS & REAR PANELS 20 ROOFS & DOORS 22 VEHICLE PROTECTION 24 STORAGE & MIRRORS 26 RZR RS1 28

FRAIL	30
WINDSHIELDS & REAR PANELS	32
ROOFS & DOORS	34
BUMPERS & ROCK SLIDERS	36
STORAGE, HUNT, PLOWS & TRACKS	38

COMMON ACCESSORIES	40
LIGHTING	40
RIDE COMMAND & AUDIO	46
WHEELS & TIRES	50
VEHICLE & RIDER PROTECTION	66
POLARIS NORTHSTAR COOLERS	68
COCKPIT & MIRRORS	70
WINCHES	72
ADDITIONAL ACCESSORIES 8 570	74

YOUTH

PARTS & GARAGE 76 **OIL & LUBRICANTS** MAINTENANCE 78 HD PARTS 82 SERVICE PARTS 84 BATTERY & LIFTS 86 GARAGE & TRAILERING 88

APPAREL & HELMETS	90
OUTERWEAR & PROTECTION	90
CASUALWEAR	96
CAMO & GIFTS	103



DESIGNED

P#LARIS®

ENGINEERED



WE HOLD OUR

PARTNERS TO THE

SAME STANDARDS

designed your vehicle.

Extensively tested in the field so you ride with 100% confidence.

PRO ARMOR 🔶

PREMIUM AFTERMARKET OPTIONS DESIGNED WITH POLARIS TO MAXIMIZE

PERFORMANCE



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING 65 years in the business. The #1 name in Off-Road.



IGNITE AND FUEL YOUR PASSION FOR PRECISE QUALITY SOUND REPRODUCTION







KEEP YOUR STANDARDS HIGH. WE DO.





PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE



MAKING PRODUCTS FOR AVID **SPORTSMEN SINCE 1943**



INTRODUCING THE NEWEST RZR



EXPERIENCE THE POWER OF PRO

RIGID[®] SR SERIES ······... 81.3 cm LED LIGHT BAR **SEE P. 13**

INTEGRATED WINCH SEE P. 12

Next-level innovations making your RZR unlike anything you've had before.





Relentless attention to detail delivering extraordinary style and function for the ultimate ride.



ELEVATED FUNCTIONALITY

Unrivaled collection of accessories to give you even more reasons to get out - and stay out riding.



Rockford Fosgate[®] Audio P. 8 Ride Command P. 8 **Integrated Winch** P. 12 **RIGID**[®] Lighting P. 13

PRO ACCESSORIES

WINDSHIELD, ROOFS, REAR PANELS & DOORS

VEHICLE PROTECTION & LIGHTING

STORAGE & MIRROR

EFFORTLESSLY ADD LIGHTS, AUDIO & WINCH

Polaris PULSE Learn More P.13

Windshields P. 10 **Roofs** P. 11 Door Closeoffs P. 11 Mirrors P. 15

Protection P. 12 Storage P.14 Wheels & Tires P. 50



Experience the soft sands of the dunes.



PERSONALIZE YOUR **PRO XP WITH ACCESSORIES** THAT FIT WHERE YOU RIDE **& HOW YOU RIDE**

Take advantage of the

warm and sunny desert.

endless miles in the

ROCKFORD Fosgate® AUDIO P.8

RIDER

COMFORT P.10

Navigate and soak up the old-growth groves, forests, plains and waterways.



VEHICLE **PROTECTION P.12 RIGID**[®] LIGHTING P.13

STORAGE P. 14 MIRRORS P.15

06 Safely climb pristine mountain trails for an epic view.



PRO ARMOR WHEELS & TIRES P.50 POLARIS NORTHSTAR COOLERS P.68 POLARIS WINCHES P.72

07

PRO ACCESSORIES

AUDIO

WINDSHIELD, ROOFS, REAR PANELS & DOORS

VEHICLE PROTECTION & LIGHTING

STORAGE & MIRROR

PRO

INTRODUCING A NEWAUDIO EXPERIENCE

Tockford fosqate.

An industry first, A true factory installed integrated off-road audio system. Rockford Fosgate' partnered with Polaris to build the loudest, highest performing system the industry has ever heard. Specifically tuned and ridercentric to create a class leading audio experience that is second to none.





9

ELEMENT READY[™]

LEMENT READY[®] NO LOSS OF Cargo Space

SOURCE UNITS

PLUG AND PLAY

- Rockford Fosgate" engineered the first off-road tune, designed specifically for the Pro XP platform
- Tuned to combat wind and motor noise delivering an incredible sound no matter the speed
- IP certified design guards against dust and moisture intrusior

AMPLIFIERS

• Ultra Compact CLEAN technology

 Highly efficient design capable to be pushed hard without overheating

SPEAKERS

- Off-Road Optimized Element Ready[®] speakers that thrive in any outdoor environment
- Specifically tuned enclosures create rich cockpit sound perfect for the Pro XP rider
- Rugged but lightweight materials without sacrificing speed for sound

SUBWOOFERS

 Rockford Fosgate[®] designed, high-power, high-excursion subwoofer that acoustically couples with the cockpit for perfect bass response

Torture tested to ensure long life and performance



A. 7" RIDE COMMAND DISPLAY


» 2884072 PRO XP '20, STANDARD ON PRO XP ULTIMATE REQUIRES MOUNT KIT 2884073

SEE P. 46 FOR FULL RIDE COMMAND DETAILS



STAGE 3
 25.4 cm SUBWOOFER UPGRADE
 400 watt 25.4 cm subwoofer with enclosure with grille
 400 watt integrated subwoofer amplifier

» 2883857 PRO XP '20





B. PMX-2 HEAD UNIT

- 6.86 cm full color display
 AM/FM/WB tuner
- Pandora Control
 Bluetooth[®] Connectivity
- Includes mount kit

» 2883964 PRO XP '20, NOT COMPATIBLE WITH PRO XP ULTIMATE



E. STAGE 4 25.4 cm SUBWOOFER WITH REAR COAXIAL SPEAKER UPGRADE

- 400 watt 25.4 cm subwoofer with enclosure and grille
 400 watt integrated subwoofer amplifier
 50 watt 16.51 cm coaxial speakers with enclosure and grilles
- Du watt 10.51 cm coaxial speakers with enclosure and grill
 2884255



FULL RANGE AMPLIFIER AND FRONT UNDER-DASH SPEAKERS

• 400 watt full range amplifier • 50 watt 16.51 cm component speakers with tweeters with enclosures

» 2883943 PRO XP '20. STANDARD ON PRO XP ULTIMATE



F. REAR PODS USE WITH STAGE 2, STAGE 3 OR STAGE 4


50 watt 16.51 cm coaxial speakers with can-enclosures and mounting hardware and grilles
Stage 2 and 3 require Audio Harness (2415152), sold separately

» 2883945

PRO XP '20

>AUDIO 📐

BUILD YOUR SOUND (CHOOSE THE PATH THAT MATCHES YOUR RZR)





AUDIO

PRO ACCESSORIES

WINDSHIELD, ROOFS, REAR PANELS & DOORS

VEHICLE PROTECTION & LIGHTING

STORAGE & MIRRORS





of cracking.

REVOLUTIONARY INSTALLATION Lock & Ride clamps for easy on-off and eliminates the risk

ALUMINUM VS

High protection strength

Lower profile

• Sleek style

• Water run-off Pre-existing mounting features Lightweight

> BUILD YOUR CAB

WINDSHIELDS

GLASS

NEW

FULL WINDSHIELD - GLASS Works with both Poly and Aluminum Roofs

- Double layer laminated, tempered glass windshield
- Fits seamlessly with the roof and hood of your RZR to form a complete and full seal for maximum durability and reduce chatter

» 2883753 PRO XP '20 NOT COMPATIBLE WITH LIGHT POCKET ALUMINUM ROOF (2883961)



FULL VENTED WINDSHIELD -HARD COAT POLY Compatible with Aluminum Roof only

(2883961 or 2883743) • Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate

• Full protection with airflow vents that quickly open for cockpit ventilation

» 2884305 PRO XP '20

FULL VENTED WINDSHIELD -HARD COAT POLY Compatible with Poly Sport Roof only

(588,3958) Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate

> Full protection with airflow vents that quickly open for cockpit ventilation

» 2883756 PRO XP '20

HALF WINDSHIELD -HARD COAT POLY • Impact-resistant, long-lasting .64 cm

durable hard coated polycarbonate Provides protection and airflow into the cab

» 2883754 PRO XP '20

HARD COAT POLY VINYL

HARD COAT

GLASS POLY

GLASS

GLASS

- Superior optical clarity (automotive level)
- Scratch resistant
- Seals tight

Cold weather/heavy duty

VS HARD COAT POLY

- Lightweight, flexible,
 - easy to store/remove
 - Impact-resistant
 - Hard Coat: 30x more scratch resistance than regular poly windshields

10



POLARIS ENGINEERED** ADVANTAGES

AIRTIGHT GASKET SEAL

Keep drafts and moisture out. Reduces ride chatter on full glass windshields.

HARD COAT POLY

ROOFS

ALUMINUM ROOF

- .32 cm light-weight aluminum stamped sheet with full seal for a leak-free barrier and eliminates vibration
- Low-profile design, quick installation with maximum protection and durability from the harshest conditions

COLOR	2-SEAT
MATTE BLACK	2883743-458
INDY RED	2883743-293
BLUE METALLIC	2883743-751

PRO XP '20

NEW

LIGHT POCKET ALUMINUM ROOF

- · .32 cm light-weight aluminum stamped sheet with full seal for a leak-free barrier and eliminates vibration
- Low-profile with light pocket
- Quick installation with maximum protection and durability from the harshest conditions
- » 2883961-458 PRO XP '20

ADD THE 71.12 cm RIGID® SINGLE ROW LED LIGHT BAR. FITS PERFECTLY INTO ROOF POCKET P. 13 FOR DETAILS

VISIONARY DESIGN Relentless attention to detail delivering extraordinary style and function for the ultimate ride.

NEW

POLY SPORT ROOF

- Durable light-weight polypropylene with contoured design for water run-off
- Maximum protection with full seal for a leak-free barrier and reduced chatter
- » 2883928 PRO XP '20

REAR PANEL

POLY REAR PANEL

- Drape formed 3 mm polycarbonate for lightweight, impact-resistant durability
- Maintains rear visibility while reducing rear air swirl from getting back into cockpit
- » 2883757 PRO XP '20

DOORS NEW

DOOR CLOSEOFFS

- Lightweight thermoplastic door closeoffs to provide rider protection from mud, rock and water
- Quick installation for a seamless fit into door opening
- » 2883765 PRO XP '20

PRO ACCESSORIES

AUDIO







PRO



LOW PROFILE BUMPER able, powder-coated 1.5" - 1.75" tube steel with sleek lower profile

COLOR	FRONT	REAR
MATTE BLACK	2883746-458	2883748-458
INDY RED	2883746-293	2883748-293
BLUE METALLIC	2883746-751	2883748-751
DBO XB 120		



HIGH COVERAGE BUMPER

Durable 12 gauge powder-coated steel with extended high-coverage design for maximum vehicle protection

COLOR	FRONT	REAR
MATTE BLACK	2883749-458	2884189-458
INDY RED	2883749-293	2884189-293
BLUE METALLIC	2883749-751	2884189-751
PRO XP '20		





UNMATCHED ENGINEERING

Next-level style & function. Front bumpers are designed to effortlessly integrate a winch or 15.2 cm RIGID[®] light bar. No extra mounts required.

> ROCK SLIDERS



10 GAUGE STAMPED STEEL NO LOSS IN GROUND CLEARANCE

NEW LOW PROFILE

COLOR	PN	
MATTE BLACK	2883760-458	
INDY RED	2883760-293	
BLUE METALLIC	2883760-751	
PRO XP '20		



STEEL TUBE CONSTRUCTION EXTENDS FROM MACHINE FOR **MAX PROTECTION** THROUGH ROUGH TERRAIN

NEW KICK-O COLOR MATTE BL INDY RED BLUE MET

PRO XP '20

UT		
R	PN	
ACK	2883997-458	
	2883997-293	
ALLIC	2883997-751	

REUSABLE ANCHOR MOUNTS Easily mount rock sliders with two

piece mount. Reusable anchors mount to built-in dedicated chassis mount standard on your machine.



CLOSED/ UNLOCKED





LOCKED

ADVANCED TECH

RIGID[®] lights are driven by Aluminum PCB

Smart Boards[™]. 6063-T5 aircraft aluminum

extruded housings and Tiger Drylac[®] UV

protection polyester powdercoating.

EXCLUSIVE OPTICS

LIGHT BAR OPTIONS 1,200 m 960 m 720 m 480 m 240 m NEW BRAND SIZE 15.2 cm ТҮРЕ E-SERIES RAW LUMENS 9,504 2883948 PN FITMENT PRO XP '20 CIUS EFFORTLESSLY MOUNTS IN THE WINCH POCKET FOR SEAMLESS INTEGRATION IN FRONT BUMPERS SEE LEFT PAGE FOR PRODUCT DETAILS

HARNESSES

PULS

INEW POLARIS PULSE LIGHT BAR HARNESS

» 2883949

INTRODUCING

PLUG & PLAY ELECTRICAL

POLARIS PULSE IS A REVOLUTIONARY way to provide power to your vehicle, and makes adding electrical accessories a snap.

• Simple plug & play harness to busbar hub No need to remove nuts and stack wire terminals like a 3-post terminal set-up

Secure connection guaranteed every time





> STORAGE

DAY TRIP

STORAGE BOX

cargo bed

» 2883751

PRO XP '20

ACCESSORY	PN
9.5 L SHOULDER STORAGE BAG	2884286
14 L NORTHSTAR COOLER – GRAPHITE	2883968
LOCK & RIDE 70 L FORWARD CARGO STORAGE BOX	2883751



FORWARD CARGO AND REAR CARGO STORAGE BOXES NEST PERFECTLY TOGETHER



MORNING-TO-NIGHT

ACCESSORY	PN
28 L NORTHSTAR COOLER - GRAPHITE	2883424
LOCK & RIDE 28 L NORTHSTAR COOLER BRACKET	2884070
7.25 L DOOR STORAGE BAG	2884304
LOCK & RIDE 40L REAR CARGO STORAGE BOX	2883752



40 L REAR CARGO STORAGE BOX

Protect your gear in the 40 L Rear Cargo Storage Box with lockable latches and side handles

 Durable Polypropylene engineered to seal out dust and water • Lock & Ride secures strongly to

cargo bed

PRO XP '20

REAR CARGO STORAGE BOX AND 28 L NORTHSTAR **COOLER NEST PERFECTLY TOGETHER**



NEW 9.5 L SHOULDER STORAGE BAG

 Keep your belongings safe and secure in the 9.5 L Shoulder Storage Bag Molded sides, lid inserts, waterproof

zipper and a nylon mesh pocket for versatile storage options

· Easy install and quick access with a sleek look within the cockpit

» 2884286 PRO XP '20





NEW 7.25 L DOOR STORAGE BAG • 7.25 L quick reach access to keep supplies and gear secure

• Waterproof zipper keeps everything enclosed clean and dry • Molded face with EVA carbon fiber vinyl cover design » 2884304

PRO XP '20






HAVE-IT-ALL

ACCESSORY	PN
28 L NORTHSTAR COOLER - GRAPHITE	2883424
LOCK & RIDE 28 L NORTHSTAR COOLER BRACKET	2884070
LOCK & RIDE 40 L REAR CARGO STORAGE BOX	2883752
PIVOTING SPARE TIRE CARRIER	2883745-458
7.25 L DOOR STORAGE BAG	2884304
9.5 L SHOULDER STORAGE BAG (not shown)	2884286





NEW **PIVOTING SPARE TIRE CARRIER**

Compatible with all Pro XP modular cargo bed storage options

• Secure mounting to roll cage with click to lock clamps to stay locked during the ride

Pivoting gas strut system allowing for easy access to a cooler and/or storage boxes in bed

• Y-Ratcheting Strap included in kit

• 32" max tire size and 34 kg max weight capacity

» 2883745-458 PRO XP '20

KEEP IT ICE COLD 🛞 P&LARIS NORTHSTAR



AUDIO

PRO ACCESSORIES

STURAGE 6 MIRROR

>MIRRORS

28 L NORTHSTAR COOLER BRACKET

» 2884070

PRO XP '20

NEW **FOLDING SIDE MIRRORS** Installs in minutes and integrates into a designated mounting positi

- Laminated safety glass for excellent scratch resistance
- » 2883762 PRO XP '20



0

see p. 68 for Full details on **Polaris**

NORTHSTAR



- into a designated mounting position • Laminated safety glass for
- excellent scratch resistance
- » 2883763 PRO XP '20







TURBO S

LOCK & FIDE HALF WINDSHIELD - HARD COAT POLY - TINTED	P. 20
LOWER DOOR INSERTS	P. 23
BARRICADE CAGE SYSTEM (NO EXTENSION)	P. 25
FRONT & REAR DESERT BUMPER – BLACK	P. 25
MIRRORS	P. 27
RIGID" SR-SERIES 81.3 cm COMBO LIGHT BAR + ACCENT LIGHTING	P. 44
PRO ARMOR WHEELS & TIRES	P. 50
POLARIS PRO HD 2,041 kg WINCH	P. 72

XP TURBO

RS1

ALUMINUM ROOF	P. 22
LOCK & RIDE FULL WINDSHIELD - HARD COAT POLY	P. 20
REAR RACE NETS	P. 21
FRONT & REAR DESERT BUMPER - TITANIUM METALLIC	P. 25
XXL FENDER FLARES	P. 67
PRO ARMOR DUAL-ROW 76.2 cm COMBO LIGHT BAR	P. 44
PRO ARMOR WHEELS & TIRES	P. 50
POLARIS PRO HD 2,041 kg WINCH	P. 72

ALUMINUM ROOF	P. 28
LOCK & RIDE FULL WINDSHIELD - HARD COAT POLY & REAR PANEL	P. 28
EXTREME KICK-OUT ROCK SLIDERS	P. 28
RZR SUB-ZERO 4 HARNESSES	P. 28
PRO ARMOR 50.8 cm DUAL-ROW COMBO LIGHT BAR	P. 44
PRO ARMOR WHEELS & TIRES	P. 50
POLARIS PRO HD 2,041 kg WINCH	P. 72
IN-COCKPIT STORAGE	P. 29

XP 1000

GRAPHIC SPORT ROOF - INDY RED	P. 22
HALF WINDSHIELD - HARD COAT POLY - TINTED	P. 20
FRONT & REAR DESERT BUMPER - INDY RED	P. 25
LOW PROFILE ROCK SLIDERS - INDY RED	P. 25
MIRRORS	P. 27
RIGID® LIGHTING + TRAILBLAZER HEADLIGHTS	P. 40





Whatever your style, however you ride Polaris Engineered Accessories help you create your one-of-a-kind *RZR*.

ESSENTIALS TO KEEP YOU RIDING LONGER

Roofs	P. 22
Windshields	P. 20
Rear Panels	P. 21
Doors	P. 23
Protection	P. 24

ADD STYLE. ADD FUNCTION. ADD YOU.

Audio	P. 48
Lighting	P. 40
Wheels & Tires	P. 50
Winches	P. 72
Storage	P. 26
Mirrors	P. 27

THE RIGHT STUFF TO MAINTAIN YOUR RZR

Oil & Lubricants	P. 76
Maintenance	P. 78

EVERYTHING YOU NEED TO GEAR UP

Riding Gear	P. 90
Casualwear	P. 96

ROOFS & DOORS

STORAGE & MIRRORS

RZR RS1

> WINDSHIELDS HARD COAT POLY



LOCK & RIDE

REVOLUTIONARY INSTALLATION

Lock & Ride clamps for easy on-off and eliminates the risk of cracking.



Impact-resistant, long-lasting .64 cm durable hard coated polycarbonate

- Full protection with airflow vents that quickly open for cockpit ventilation
- » 2884330
- XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20



FULL WINDSHIELD -HARD COAT POLY

• Durable, optical-grade polycarbonate for maximum impact resistance

» 2884018 XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20




HALF WINDSHIELD -HARD COAT POLY - TINTED

• Enhanced curved styling prevents collecting mud or dirt

 Innovative tint technology helps reduce glare and improve visibility

• Equipped with self-adjusting clamps

» 2883135 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20



 Hard Coat: 30x more scratch resistance than regular poly windshields

• Superior optical clarity

- Scratch resistant
- Seals tight
- Cold weather/ Heavy duty



ADD A REAR PANEL TO REDUCE THE DUST SWIRL



LOCK & RIDE REAR PANEL - POLY

» 2881614 XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20

GASKET SEAL Keep drafts and moisture out. Reduces ride chatter.



DOORS



STORAGE & MIRRORS

RZR RS

21



POLAS





REAR PANEL - MESH

» 2879507 XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20



REAR RACE NET

» 2879936 XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20

SEE P. 28-29 FOR RZA



LOCK & RIDE

POLY SPORT ROOF

• Rigid injection-molded design to eliminate warping in high-heat conditions

• Integrated mounting locations for lighting

Rugged, textured polyethylene construction for impact and abrasion resistance

COLOR	2-SEAT	4-SEAT
BLACK	2883073	2883074
	XP 1000 / XP TURBO '14-20	XP 4 1000 / XP 4 TURBO '14-20

GRAPHIC SPORT ROOF

• Weighs only 5 kg (30% lighter than aluminum)

 Won't bend or break upon impact with debris or other obstacles Sunroof lets in sunlight while keeping you shaded from the heat

0 0FAT	(1 OF AT	

_	CULUR	2-SEAT	4-SEAT
	BLACK	2881206	2881935
	INDY RED	2881607	2881936
	BRIGHT WHITE	2881608	2881937
		XP 1000 / XP TURBO '14-20	XP 4 1000 / XP 4 TURBO '14-20

ALUMINUM

• Seals to the vehicle frame for the best protection and great integration with other RZR accessories • Strong and durable 5051 aluminum construction for

long-lasting, reliable protection

COLOR	2-SEAT	4-SEAT
BLACK	2881582-458	2881592-458
INDY RED	2881582-293	2881592-293
LIME SQUEEZE	2881582-630	2881592-630
	XP 1000 / XP TURBO '14-20	XP 4 1000 / XP 4 TURBO '14-20

2884087-458 XP 4 TURBO S '19-20

NEW MATTE BLACK 2884086-458

XP TURBO S '19-20

CANVAS

Durable, heavyweight 652 g polyester canvas construction

• Mold-resistant and UV-stable to resist fading for long-lasting performance

• Installs quickly and easily with provided straps

COLOR	2-SEAT	4-SEAT
BLACK	2880561	2880610
	XP 1000 / XP TURBO '14-20	XP 4 1000 / XP 4 TURBO '14-20

ALUMINUM • High protection strength • Lower profile

Sleek style

• Water run-off channels • Quick on/off install Lightweight

POLY

VS









WINDSHIELD & REAR PANELS



POLARIS ALUMINUM DOORS



- Single-piece stamped aluminum maximizes quality, fit and finish
- More cockpit room with wide berth
- Gasket design eliminates rattling and creates a firm seal
- » 2-SEAT 2879510
- XP TURBO S '18-20, XP 1000 / XP TURBO '14-20
- » 4-SEAT 2879943 XP 4 1000 / XP 4 TURBO '14-20, XP 4 TURBO S '19-20



- Covers the bottom of the door opening, shutting out water and dust
- Durable plastic construction with steel frame
- » 2-SEAT 2879509
- XP TURBO S '18-20, XP 1000 / XP TURBO '14-20
- » 4-SEAT 2879942
- XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20





- Not compatible with any poly or audio roof options
- » 2-SEAT 2884333 XP 1000 / XP TURBO '19-20
- » 4-SEAT 2884332
- XP 4 1000 / XP 4 TURBO '19-20

STORAGE & MIRRORS

VEHICLE PROTECTION

RZR RS

> BUMPERS & ROCK SLIDERS





DESERT BUMPER TOPSELLER

• Perfect for: Heavy-duty protection with aggressive style and mounting for lights





4.4 cm DIAMETER STEEL TUBE CONSTRUCTION 4-SEAT

2883133-458

COLOR	FRONT	REAR	COLOR	2-5
BLACK	2884019-458	2884020-458	BLACK	2879
INDY RED	2884019-293	2884020-293	INDY RED	288
TITANIUM	2884019-632	2884020-632	SKY BLUE	288
SKY BLUE	2884019-737	2884020-737	2-SEAT: XP TURBO 4-SEAT: XP 4 TURBO	
XP 4 1000 / XP 4 TU	JRBO '19-20, XP 1000 / XP TU	RBO '19-20	4-SEAT: XP 4 TURBO	J S 19
COLOR	FRONT	REAR		

2883132-458

XP TURBO S '18-20, XP 4 TURBO S '19-20

2-SEAT: XP TURBO S '18-4-SEAT: XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20

ANCHOR MOUNTS

Tougher than conventional nuts and bolts, Expansion Anchor Mounts are engineered into every RZR, allowing for a fast install.

BARRICADE CAGE

CAGE

REAR

BLACK

- ROHVA-compliant, single-piece, fully-welded roll cage
- 7.6 cm lower profile than stock cage for true custom look
- High-quality powdercoat and E-coat finish
- Works with Polaris Poly Half Windshield (2883135)
- BLACK 2881986-458

O S '18-20, XP 1000 / XP TURBO '14-20 LY, SUBZERO 4-PT I

ROOF

- Protect yourself from the elements while adding style and color to your custom cage
- Easy installation with integrated fastening points
- High-quality powdercoated finish
- Lightweight alumir

BLACK	2882172-458
INDY RED	2882172-293

REQUIRES BARRICADE CAGE (2881986-458), SOLD SEPARATELY







LOW PROFILE ROCK SLIDERS – STEEL

Plated steel construction, durable powdercoat finish

· Easy installation with expanded anchor mount



LOW PROFILE: NO LOSS IN GROUND CLEARANCE



SEAT	4-SEAT
79498-458	2879940-458
81587-293	2881593-293
81587-737	2881593-737
20, XP 1000 / XP TURBO	'14-20

BUMPER ANCHOR PACK



- Rugged steel protection and race-inspired styling
- Low-profile mounting location will not diminish around clearance





COLOR	2-SEAT	4-SEAT
BLACK	2879456-458	2882079-458
INDY RED	2881586-293	2882079-293
SKY BLUE	2881586-737	2882079-737
2-SEAT: XP TURBO S '18-20, XP 1000 / XP TURBO '14-20		

4-SEAT: XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20

> STORAGE



- One-piece rotomolded construction for extreme durability
- Lid locks securely in place with rubber latches to protect cargo
- Heavy-duty hinges and weatherproof seal block moisture and dust

» 45.4 L • 2881555

- Keeps food and beverages cool for 48+ hours, depending on conditions • UV-fade resistant • Installs quickly and easily without tools
 - Easy to carry with integrated grah handles


XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20



» 2876420

LOCK & RIDE

EXPANSION ANCHOR



UNDER-HOOD

STORAGE BIN

XP 4 1000 '14-20, XP 1000 '14-20

Perfect out of the way space for a

knock-outs for bungee cords (not included) secures your cargo

tool kit, extra belt, tow straps corner

LOCK & RIDE

Integrated rear cargo box touting 65

liters of storage Secure latching lid with taut rubber strap tie-downs

- Lightweight design integrates mlessly with RZR Rear Cargo Bed
- Includes all mounting hardware for complete installation

» 2881193 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20





OVERHEAD BAG

» 2879516 XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20

» 2880612 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20 ONLY COMPATIBLE WITH FRONT DOORS OF ALL MODELS

UPPER DOOR STORAGE BAG



2882080

LOWER DOOR STORAGE BAG

» 152 cm • 2880613 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20 REQUIRES LOWER DOOR 2879509 ONLY COMPATIBLE WITH FRONT DOORS OF ALL MODELS

SPARE TIRE CARRIER

» 2883487 XP TURBO S '18-20, XP 4 TURBO S '19-20

>MIRRORS





• Works with all roofs, soft tops and windshields







SPARE TIRE CARRIER

» 2879464

XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20





ALUMINUM ROOF

Strong, durable 5051 aluminum construction
360-degree sealed to eliminate vibration

» 2882698-458 · BLACK RZR RS1 '18-20

RZR RS1 SUBZERO **4-PT HARNESS**

 Exclusive, controlled deceleration technology Better vehicle control, less ride fatigue and reduced submarining • CAPE and Polaris validated

» 2882709 RZR RS1 '18-20

EXTREME DUTY BUMPER

 Front bumper required for winch installat
 Easy installation into factory mounts • Fully e-coated and powder-coated for um protection Includes all mounting hardware

» 2883783-458 • FRONT • BLACK » 2882694-458 • REAR • BLACK RZR RS1 '18-20

SPORT SIDE **TIRE CARRIER**

 Mounts directly to your Extreme Kick-Out Rock Sliders (2882695-458)

» 2882738 RZR RS1 '18-20

EXTREME KICK-OUT **ROCK SLIDERS - STEEL**

 Fully e-coated and powder-coated for premium prote Stock ground clearance is maintained Required for the Sport Side Tire Carrier (2882738)

» 2882695-458 · BLACK RZR RS1 '18-20

∆ ເວັເມີເລຍ

SEE P. 50 FOR / PRO ARMOR WHEEL & TIRE SETS

SEE P. 40

FOR LIGHTING

& HARNESSES

POLARIS PRO HD 2,041 kg WINCH » 2883825 RZR RS1 '18-20 See P. 72 for full winch details

LOCK & RIDE

» 2882703

» 2882704

RZR RS1 '18-20

RZR RS1 '18-20

LOCK & RIDE

LOCK & RIDE

FULL WINDSHIELD -

Frameless design fully seals around cab frame

Premium, optical-grade impact-resistant poly material

LOCK & RIDE HALF

WINDSHIELD - POLY NOT SHOWN

HARD COAT POLY

49L 1 helmet 2 goggles/gloves

LOCK & RIDE

49L COOLER/STORAGE COMBO - REAR

Seamless mounting to the rear cargo platform

2882701 RZR RS1 '18-20



12 beverage cans

13L COOLER/STORAGE COMBO - UNDERHOOD

 Fits in underhood compartment · Removable, waterproof cooler liner for easy cleaning

» 2882700 RZR RS1 '18-20




QUIKREACH 10L DOORPAK Three storage compartments "Quick to Reach" mounted directly to driver-side door 2882697

RZR RS1 '18-20



QUIKREACH 8L DASHPAKS

"Quick to Reach" storage on both sides of steering wheel » 2883332 RZR RS1 '18-20



ADD A REAR PANEL TO REDUCE THE DUST SWIRL

With a windshield and roof installed, turbulent air develops behind the cab. Add a rear panel to reduce dust intrusion from this swirl.

POLARIS ENGINEERED* ADVANTAGES

PLUG & PLAY ELECTRICAL

EFFORTLESSLY ADD LIGHTS A simple plug & play approach to adding power to Polaris Engineered Accessories



LOCK & RIDE

REVOLUTIONARY INSTALLATION Lock & Ride clamps for easy on-off and eliminates the risk of cracking.

WINDSHIELD & REAR PANELS



SPORT LOW PROFILE BUMPER - FRONT

- Tough, tubular steel design
- Easy installation into factory mounts
- Fully e-coated and powder-coated for premium protection
- Includes all mounting hardware
- » 2882692-458 RZR RS1 '18-20



BLUETOOTH[®] INTEGRATED 200 WATT AUDIO SYSTEM BY MB QUART®

- 2 x 13.3 cm speakers and 1.9 cm titanium dome tweeters
- with dash enclosures Fully-integrated Bluetooth[®] Audio System
- Bluetooth[®] remote fits seamlessly into switch panel
- Includes all necessary wiring, harnesses and mounting hardware
- » 2882696 RZR RS1 '18-20



XL FENDER FLARES

- Extra-wide design protects you and your vehicle
- from kicked-up debris
- Easily and seamlessly attaches to existing plastic
- » 2883488

RZR RS1 '18-20



LOCK & RIDE

REAR PANEL - POLY

» 2882706 RZR RS1 '18-20

TRAILERABLE COVER NOT SHOWN

- Strong, durable, weatherproof canvas construction
- UV-stable to resist fading from prolonged exposure to sunlight

» 2882705 RZR RS1 '18-20





STURAGE MIRROR



RZR S 900

ALUMINUM ROOF	P. 34
LOWER DOOR INSERTS	P. 35
FRONT & REAR LOW PROFILE BUMPER - BLACK	P. 37
INTRUSION BAR	P. 67
PRO ARMOR 25.4 cm SPOT LIGHT BAR	P. 44
PRO ARMOR WHEELS & TIRES	P. 50
POLARIS PRO HD 1,588 kg WINCH	P. 72

POLY SPORT ROOF – BLACK	
LOCK & RIDE HALF WINDSHIELD - HARD COAT POLY	P. 33
FRONT & REAR LOW PROFILE BUMPERS	
PRO ARMOR 76.2 cm SINGLE-ROW COMBO LIGHT BAR	
PRO ARMOR WHEELS & TIRES	





Whatever your style, however you ride Polaris Engineered Accessories help you create your one-of-a-kind RZR.

ESSENTIALS TO KEEP YOU RIDING LONGER

Roofs	P. 34
Windshields	P. 32
Rear Panels	P. 33
Doors	P. 35
Protection	P. 36

ADD STYLE. ADD FUNCTION. ADD YOU.

Audio	P. 48
Lighting	P. 40
Wheels & Tires	P. 50
Winches	P. 72
Storage	P. 38
Mirrors	P. 71

THE RIGHT STUFF TO MAINTAIN YOUR RZR

Oil & Lubricants	P. 76
Maintenance	P. 78

EVERYTHING YOU NEED TO GEAR UP

Riding Gear	P. 90
Casualwear	P. 96

TRAIL ACCESSORIES

WINDSHIELDS & REAR PANELS

STORAGE, HUNT, PLOWS & TRACKS



> WINDSHIELDS

HARD COAT POLY



FLIP-DOWN WINDSHIELD - HARD COAT POLY

- Two-position design can be adjusted quickly without the use of tools Tough polycarbonate with scratch-
- resistant hard coat » 2881616
- S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



VENTED WINDSHIELD HARD COAT POLY

 Impact-resistant polycarbonate • New vents allow for temperature regulation

» 2883111

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20



LOCK & RIDE FULL WINDSHIELD -

• Durable, optical-grade polycarbonate for maximum impact resistance » 2883110

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20



OCK & RIDE HALF WINDSHIELD -HARD COAT POLY

 Strong, durable, impact-resistant polycarbonate

 Fully-sealed lower section of windshield to hood

» 2883109 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20

GLASS



VENTED WINDSHIELD - GLASS

• 7.6 cm vent opens and closes with one-handed operation, providing immediate vent-out and increased cabin airflow


» 2883112 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20 NOT COMPATIBLE WITH WINDSHIELD WIPER SYSTEM (2879526)

GLASS WINDSHIELD

• Installs in minutes and integrates into a designated mounting position

 Laminate safety glass for excellent scratch resistance

» 2879447 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



ADD A REAR PANEL TO REDUCE THE DUST SWIRL





REAR PANEL -POLY

» 2881613 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 NOT COMPATIBLE WITH EXTREME AUDIO PODS (2883739)







AIRTIGHT GASKET SEAL

Keep drafts and moisture out Reduces ride chatter on full glass windshields.



WINDSHIELD WIPER SYSTEM

» 2879526 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



> **REAR PANELS**





REAR PANEL -CANVAS

• 652 g polyester canvas is mold-resistant for longterm performance and UV-stable to resist fading

» 2880608

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 NOT COMPATIBLE WITH EXTREME AUDIO PODS (2883739)



REAR PANEL -MESH

» 2880409 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



REAR RACE NET

» 2880408 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

TRAIL

>ROOFS

POLY

LOCK & RIDE

• Rigid injection-molded design to eliminate warping in high-heat conditions

• Integrated mounting locations for lighting

• Rugged, textured polyethylene construction for impact and abrasion resistance

COLOR	2-SEAT	4-SEAT
BLACK	2883073	2883074
	S 900 '15-20, S 1000 '16-20, 900 '15-20	S 4 1000 '19-20

GRAPHIC SPORT ROOF

• Weighs only 5 kg (30% lighter than aluminum)

• Won't bend or break upon impact with debris or other obstacles

Sunroof lets in sunlight while keeping you shaded from the heat

COLOR	2-SEAT	4-SEAT
BLACK	2881206	2881935
INDY RED	2881607	2881936
BRIGHT WHITE	2881608	2881937
	S 900 '15-20, S 1000 '16-20,	S 4 1000 '19-20

ALUMINUM

• Seals to the vehicle frame for the best protection and great integration with other RZR accessories

• Strong and durable 5051 aluminum construction for long-lasting, reliable protection

COLOR	2-SEAT	4-SEAT
BLACK	2881582-458	2881592-458
INDY RED	2881582-293	2881592-293
LIME SQUEEZE	2881582-630	2881592-630
	S 900 '15-20, S 1000 '16-20, 900 '14-20	S 4 1000 '19-20

CANVAS

• Durable, heavyweight 652 g polyester canvas construction

• Mold-resistant and UV-stable to resist fading for long-lasting performance

Installs quickly and easily with provided straps


COLOR	2-SEAT	4-SEAT
BLACK	2880561	2880610
	S 900 '15-20, S 1000 '16-20, 900 '14-20	S 4 1000 '19-20

ALUMINUM


 High protection strength Lower profile • Sleek style

POLY

VS



• Water run-off channels
















POLARIS ALUMINUM DOORS



- Single-piece stamped aluminum maximizes quality, fit and finish
- More cockpit room with wide berth
- Gasket design eliminates rattling and creates a firm seal
- Available with RZR-matched graphics
- » 2-SEAT 2879510 SHOWN S 900 '15-20, S 1000 '16-20
- » 4-SEAT 2879943
- S 4 1000 '19-20





- Covers the bottom of the door opening, shutting out water and dust
- Durable plastic construction with steel frame
- » 2-SEAT 2879509
- S 900 '15-20, S 1000 '16-20
- » 2-SEAT 2880207 900 '14-20
- » 4-SEAT 2879942 S 4 1000 '19-20

CANVAS UPPER HALF DOORS

- Compatible with aluminum doors and roof
- Not compatible with any poly or audio roof options
- » 2-SEAT 2879902
- S 900 '15-20, S 1000 '16-20
- » 2-SEAT 2880609 900 '14-20
- » 4-SEAT 2879946
- S 4 1000 '19-20


BUMPERS & ROCK SLIDERS

WINDSHIELDS 8 REAR PANELS



BULL BUMPERS

• Perfect for: Ultra light weight and minimalist look



3.8 cm x 5.1 cm STEEL OVAL CONSTRUCTION

COLOR	FRONT	REAR
BLACK	2881202-458	2881472-458
INDY RED	2881202-293	2881472-293
S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20		

ANCHOR MOUNTS

Tougher than conventional nuts and bolts, Expansion Anchor Mounts are engineered into every *RZR*, allowing for a fast install.



• Perfect for: More protection, mounting accessories

4.4 cm DIAMETER \bigcirc TUBE CONSTRUCTION

LOW PROFILE

BUMPERS

COLOR	FRONT	REAR
BLACK	2879449-458	2880560-458
INDY RED	2881583-293	2881589-293
00 45 20 5 4 4000 40 20 5 4000 46 20 000 44 20		

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20




» 2205114



EXTREME **BUMPER ATTACHMENT**

 Perfect for: Increased protection around lighting and fenders



4.4 cm DIAMETER STEEL TUBE CONSTRUCTION ()

COLOR	FRONT	REAR
BLACK	2879451-458	2879452-458
INDY RED	2881584-293	2881585-293

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 REQUIRES LOW PROFILE FRONT BUMPER (2879449-XXX, 2881583-XXX)

Perfect for: Maximum protection, integrated mounting points



3.8 cm DIAMETER STEEL TUBE CONSTRUCTION

COLOR	FRONT	REAR
BLACK	2880166-458	2880164-458
INDY RED	2881591-293	2881590-293
LIME SQUEEZE	2881591-630	2881590-630
SKY BLUE	2881591-737	2881590-737

S 4 1000 '19-20, S 1000 '16-20, 900 '14-20, S 900 '15-20

> ROCK SLIDERS

LOW PROFILE ROCK SLIDERS – STEEL

- Plated steel construction, durable powdercoat finish
- Easy installation with expanded anchor mount

LOW PROFILE: NO LOSS IN GROUND CLEARANCE



4	COLOR	2-SEAT	4-SEAT
-	BLACK	2879498-458	2879940-458
	INDY RED	2881587-293	2881593-293
	SKY BLUE	2881587-737	2881593-737
	2-SEAT: S 900 '15-2	20, S 1000 '16-20, 900 '14-20	

4-SEAT: S 4 1000 '19-20

EXTREME KICK-OUT ROCK SLIDERS – STEEL

 Rugged steel protection and race-inspired styling

• Low-profile mounting location will not diminish ground clearance

4.4 cm DIAMETER STEEL TUBE CONSTRUCTION



36





EXTREME DUTY BUMPER

• Perfect for: Full protection in tough terrain and conditions







COLOR	FRONT
BLACK	2880479-458

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 DOES NOT FIT WITH ANY PLOW SYSTEM



WINCH INSTALLS **DIRECTLY TO BUMPER**





COLOR	2-SEAT	4-SEAT
BLACK	2879456-458	2882079-458
INDY RED	2881586-293	2882079-293
SKY BLUE	2881586-737	2882079-737

2-SEAT: S 900 '15-20, S 1000 '16-20, 900 '14-20 4-SEAT: S 4 1000 '19-20

TRAIL



COOLER BOX

- One-piece rotomolded construction for extreme durability
- Lid locks securely in place with rubber latches to
- protect cargo Heavy-duty hinges and
- Installs quickly and easily without tools

Keeps food and beverages

depending on conditions

cool for 48+ hours,

UV-fade resistant

 Easy to carry with weatherproof seal block integrated grab handles moisture and dust

» · 2881556

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 NOT COMPATIBLE WITH SPARE TIRE CARRIER (2880148

LOCK & RIDE

- Integrated rear cargo box touting 65
- liters of storage • Secure latching lid with taut rubbe
- strap tie-downs
- Lightweight design integrates seamlessly with RZR Rear Cargo Bed
- Includes all mounting hardware for complete installation
- » 2881193
- S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



OVERHEAD BAG

» 2879516 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20










» 152 cm • 2880613 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20 REQUIRES LOWER DOOR 2879509

ONLY COMPATIBLE WITH FRONT DOORS OF ALL MODELS » 127 cm • 2880616

900 '14-20

ONLY COMPATIBLE WITH FRONT DOORS OF ALL MODELS





UNDER-HOOD STORAGE BIN

Perfect out of the way space for a tool kit, extra belt, tow straps corner knock-outs for bungee cords (not included) secures your cargo » 2882080

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



» 2880148

SPARE TIRE CARRIER

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20





CREATE YOUR GLACIER® HD PLOW SYSTEM IN 5 STEPS

	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME
MODELS	MOUNT	FRAME
S 900 '15-20 S 4 1000 '19-20 S 1000 '16-20 900 '14-20	GLACIER* Pro Plow Mount 2880262	GLACIER [®] Pro HD Plow Frame 2880260



Reduce operating RPM for a quieter ride

to run at a lower RPM, decreasing engine wear

HEATER KIT » 2881552

Polaris-specific gearing provides 1:1 ratio to: Minimize track slip, providing better climbing ability and improved traction in deep snow Improve top speed over prior models by approximately 5%

Lightweight design provides for better flotation, eases steering effort, and Improve driveline durability, which allows vehicle

Flexible lug design provides the









ONLY COMPATIBLE WITH FRONT DOORS OF ALL MODELS



LOWER DOOR STORAGE BAG

REQUIRES LOWER DOOR 2880207

UPPER DOOR STORAGE BAG

» 2880612 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20



~		1-
	15	/
	_ <u></u>	
1		

TRAIL ACCESSORIES

WINDSHIELDS 8 REAR PANELS

ROOFS & DOORS

BUMPERS & ROCK SLIDERS

Move snow with the robust and capable Glacier" HD plow system, and discover why a major snowfall can be the highlight of your week. With a robust frame, beefy poly and steel blade options, dismounting and amazing value, Glacier" HD is a great choice in the dead of winter.

STEP 3 SELECT A LIFT METHOD WINCH

Polaris PRO HD 2,041 kg Winch See P. 72 for details

Polaris HD 1,588 kg Winch See P. 72 for details BLADES **GLACIER**[®] Pro Plow 168 cm Poly 2880269

STEP 4

SELECT A BLADE

GLACIER® Pro Plow 168 cm Steel 2880268

STEP 5 SELECT ACCESSORIES

ACCESSORIES

168 cm Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071 Shear Pin 2205527 Extension for Tracks 2880267

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



PRO ARMOR WHITFOUT

» 5416395

SEE P. 61 FOR ALL TIRE SPECS

New front dual stabilizer for improved stability

Polaris exclusive optimized hub geometry that minimizes feedback and eases steering effort

provides better vehicle control



NON EPS MODEL

» 2880757

20 FRONT 18 REAR FOR USE ON THE FOLLOWING MODELS NOT EQUIPPED WITH FACTORY EPS: S 900 '15-20, S 1000 '18-20, 900 '15-20

» MOUNTS • 2880648 900 '14-20

MOUNTS FIT 50" WIDE RZR MODELS

EPS MODEL

» 2880758

18 FRONT 18 REAR FOR USE ON THE FOLLOWING MODELS THAT COME WITH FACTORY-INSTALLED EPS: S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20

» MOUNTS • 2880649 FITS THE FOLLOWING 60" WIDE RZR MODELS: S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20

PLOW EXTENSION 2880267 REQUIRED FOR USING A PLOW WITH TRACKS ONLY COMPATIBLE WITH GLACIER' PRO HD SYSTEM





Extend your ride time and be more visible to others, with the brightest light bars in the industry.

FIGID LIGHT BARS P.44

A trusted name in the off-road lighting industry, RIGID[®] delivers unmatched technology and superior performance.





PROARMOR LIGHT BARS P.44

Pro Armor gives you aggressive styling, rugged protection, and lighting solutions for your riding needs.

HEADLIGHTS AND ACCENTS **P**


Replace your stock headlights, add more lumens to the trail, and keep the ride going into the night.

TRAILBLAZER LED **ADJUSTABLE HEADLIGHTS**

Direct replacement for factory headlight

- 6.000 lumen total output: 20-watt CREE® XHP LED Chips
- Durable construction is waterproof, dustproof, and fade resistant
- Integrated LED daytime running light
- Includes six black bezels
- » 2882073

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000/TURBO '14-20, XP 1000/TURBO '14-20, S 900 '19-20, S 1000 '16-20, RZR RS1 '18-20, 900 S '15-20, 900 '14-20, 4 900 '15-20, 1000 S '17-20



CONTROL BEAM PATTERNS

The Trailblazer LED headlight features adjustable beams on the inside and outside reflectors. Set the beam to your desired width or focus to dial in your beam pattern.

Choose from a variety of colors, or mix and match ADJUST

MIX & MATCH COLOR BEZELS

Personalize the look of your Trailblazer lights with

able color[.]

COLOR	2-PACK	
WHITE	2882479-133	
RED	2882479-293	
BLUE	2882479-689	
RAW	2882479	

SHOWCASE YOUR STYLE

Be a shining beacon of color when you ride at night. With our colorful line of LED accent lights and headlight bezels, you can stand out from the rest of the pack and create an iconic ride.

a rear, center taillight » FRONT/REAR • 2884053







FANG ACCENT LIGHT KIT

- Includes a pair of front fascia accent lights and
- Durable dust and waterproof construction

XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBC '19-20, XP 1000 / XP TURBO '19-20



ACCENT LIGHTS

- Four LEDs and all harnessing/switching required. Single lights can be added to the kit (kit required)
- Durable dust and waterproof construction
- Control hub and complete instructions included

17 17	120	-
1. 1		194

RED 2880500	COLOR	LIGHTING KIT (Comes in set of 4)
PUUE 2000E00	RED	2880500
BLUE 2880506	BLUE	2880506

RIDE COMMAND & AUDIO

WHEELS & TIRES


VEHICLE & RIDER PROTECTION

COOLERS

COCKPIT ACCESSORIES

SEE P. 45 TO ADD HARNESSES

BUILD YOUR VISION





ADVANCED TECH

RIGID[®] lights are driven by Aluminum PCB Smart Boards", 6063-T5 aircraft aluminum extruded housings and Tiger Drylac[®] UV protection polyester powdercoating.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm

POLARIS ENGINEERED™ ADVANTAGES

MOUNTS PERFECTLY Designed for your Polaris Engineered bumper, roof or other mounting point

EXCLUSIVE OPTICS

RIGID[®] invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.





Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot



MAX PERFORMANCE


Validated to work as hard

as your machine does

RUGGED

CONSTRUCTION





aggressive style all their own, and housed in IP67

marine-grade rated UV polyester powdercoating.

DOESN'T OVERTAX

Trust it to work when


you need it to

DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount. Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm

with sleek look. Available in 27.9 cm & 83.8 cm

LIGHT BAR OPTIONS





ADD A HARNESS TO MOUNT YOUR LIGHTS

	BUSBAR HARNESSES				
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES	MODEL	BUSBAR HARNESS
RZR RS1 '18-20	POLARIS PULSE LIGHT BAR HARNESS 2883388	POLARIS PULSE LIGHT BAR HARNESS 2883388 Y-HARNESS 2879860	SE LIGHT BAR HARNESS 2883388 POLARIS PULSELIGHT BAR HARNESS LASS (+HARNESS 2883388		HARNESS NOT REQUIRED
XP TURBO S '18-20 XP 4 TURBO S '19-20 XP 4 1000 / XP 4 TURBO '14-20	XP 4 TURBO S 19-20 LIGHT BAR HARNESS			XP 1000 / XP TURBO '16-20, S 900 '16-20, S 1000 '16-20, 900 '15-20	2881551
XP 4 1000 / XP 4 10RBO '14-20 XP 1000 / XP 10RBO '14-20 S 900 '15-20 S 4 1000 '19-20 S 1000 '16-20 900 '14-20	LIGHT BAR HARNESS 2883486	2883486 Y-HARNESS 2879860	LIGHT BAR HARNESS (x2) 2883486	XP 4 1000 / XP 4 TURBO '14-20, S 4 1000 '19-20	2881646
	POLARIS PULSE LIGHT BAR HARNESS	POLARIS PULSE LIGHT BAR HARNESS 2883949	POLARIS PULSE LIGHT BAR	S 4 1000 '19-20	2882861
FALL AVAILABILITY PRO XP '20	2883949 Adapter Harness 2412616	ADAPTER HARNESS 2412616 Y-HARNESS 2879860	HARNESS (x2) 2883949 Adapter Harness (x2) 2412616	All RIGID [*] and Pro Ari Polaris PULSE ready.	nor lights are

PROARMOR



MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.





SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars

CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

ADD BATTERY CONNECTION CABLES FOR POWER

COMMON

MISC & YOUTH

RIDECOMMAND[®]

- BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION AND PLAN YOUR RIDE
- MEDIA PLAYER WITH BUILT IN AM/FM TUNER FOR ALL YOUR FAVORITE MUSIC
- GROUP RIDE FOR BUDDY TRACKING, TO SEE YOUR FRIENDS ON THE MAP, TRACK AND SHARE RIDE STATS ON THE DISPLAY OR RIDE COMMAND MOBILE APP

REVOLUTIONIZING THE OFF-ROAD EXPERIENCE

Dedicated shortcut buttons for quick

Front and rear camera support for better

access to features

phone connectivity

Bluetooth[®] and USB smart

visibility on and off trail

RIDE COMMAND 7" DISPLAY

- 7" high bright touchscreen visible in all conditions
- Displays critical vehicle information for fuel level, coolant temp and battery voltage
- Media player with built in AM/FM tuner · Buddy tracking and share your ride with
- Ride Command mobile app

» 2884072

XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20, PRO XP '20

RIDE COMMAND MOUNT KIT

 Mount your 7" touchscreen to R7R Replaces dash for seamless fit

and finish Includes front and rear cameras

with mounts

» 2884073 🗖 N = W

DOWNLOAD THE RIDE COMMAND MOBILE APP Download on the App Store Get πον Google Play

PRO XP '20 INCLUDES GROUP RIDE HARNESS KIT (2884449)

Comes with wiring harnesses needed for RZR and accessory components

When adding audio to an XP, add required Ride Command Audio Adapter (2883232, P. 49)

» 2884021 XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20 OPTIONAL ADD-ON: GROUP RIDE HARNESS KIT (2884449)

FRONT CAMERA KIT

- Front camera upgrade for increased visibility and safety
- Increases driver awareness of obstacles and terrain for enhanced ride
- All wiring harnesses included on vehicle

» 2884432

XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20, PRO XP '20



0 * 0 * 4 * *



GROUP RIDE HARNESS KIT

- Upgrade kit to enable Ride Command 7" Display with Group Ride functionality
- Includes antenna and all wiring harnesses for install

» 2884449 XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20 STANDARD IN PRO XP MOUNT KIT

SEE P. 48 TO ADD AUDIO

DFF-RDAD GRADE AUDIO

BUILD YOUR AUDIO SYSTEM

MBQUART**I**®

SEE P. 46 FOR MORE INFO

• Group Ride for buddy tracking, to

or Ride Command mobile app

see your friends on the map, track and share ride stats on the display

CHOOSE A HEAD UNIT Control all aspects of your sound system. Choose what to listen to and how loud.

Built in GPS with topography

plan vour ride

maps to see your location and

Built in nush-hutton dash radio with

Bluetooth[®], AM/FM Radio and AUX

Modular design for improved

serviceability and access



RIDE COMMAND

 Total command center for a world of connection at your fingertips Media player with built in AM/FM tuner for all your favorite music

» 2884072

XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP TURBO '19-20 MOUNT REQUIRED, SEE P. 46



AUDIO ROOF

 All-in-one solution or use as base unit to build your system


• Four (4) high-efficiency 16.5 cm coaxial speakers for unbeatable SUUND

S4 AUDIO ROOF » 2882064

XP 1000 / XP TURBO '14-20, S 900 '1 S 1000 '16-20, 900 '14-20

	S8 AUDIO ROOF	S10 AUDIO ROOF
5-20,	» 2882065 XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20	» 2882066 XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20

) / XP TURBO '14-20, S 900 '15-20, '16-20, 900 '14-20





DASH RADIO

 Seamless dash integration and Bluetooth[®] connectivity convenient push-button design

• Remote-mounted USB / 3.5mm plug for external device connection

XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20



Sound Bar 8

Sound Bar 4

SOUND BAR

NOT COMPATIBLE WITH ADDITIONAL/EXTERNAL SPEAKERS OR RIDE COMMAND

· All-in-one solutions for a quick and easy audio upgrade to your machine

SOUND BAR 8

» 2881988

• Six mid-range/mid-bass speakers and two dedicated tweeters • Fully waterproof with large, easy-to-use external controls

XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

SPEAKER BAR HARNESS (2882280) BUSBAR HARNESS REQUIRED, SEE RIGHT.

SOUND BAR 4

• Two mid-range/mid-bass speaker and

two dedicated tweeters » 2881230

XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 SPEAKER BAR HARNESS (2882280) BUSBAR HARNESS REQUIRED, SEE RIGHT When you research audio solutions, you'll see manufacturers bragging about how their audio equipment is "Marine Grade". Or worse yet, you'll discover they are repackaged components built for automotive applications. MB Quart[®], combined with Polaris, engineers Off-Road Grade Audio equipment that's proven to deliver the loudest, crispest sound in the harshest conditions. Rain, snow, mud, heat, cold, dust-ANY PLACE YOUR **RZR EXCELS, SO WILL YOUR AUDIO.**

ADD SPEAKERS - MIX AND MATCH

Build your dream audio system. From a simple setup with only door speakers, to a complex system with door speakers, audio pods and a subwoofer-BUILD IT YOUR WAY.







C. 30.5 cm MAXBOOST SUBWOOFER

acoustics and superior fit

Integrated 250-watt Class D amplifier

Wiring harness included

» 2882063

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



В.

C.

LS & TIRES

VEHICLE & RIDER PROTECTION

COOLERS

COCKPIT ACCESSORIES

MISC & YOUTH

49

MAKE IT WORK

BUSBAR HARN	ESS
VEHICLE FITMENT	BUSBAR HARNESS
PRO XP '20, RZR RSI '18-20, XP TURBO/XP 4 TURBO '17-20, XP 1000/XP 4 1000 '18-20, XP TURBO S '18-20, XP 4 TURBO S '19-20	HARNESS NOT REQUIRED
XP 1000 / XP TURBO '16-20, S 900 '16-20, S 1000 '16-20, 900 '15-20	2881551
XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '17, S 4 1000 '19-20	2881646
XP 4 1000 / XP 4 TURBO '14-15, S 4 1000 '19-20	2882861

Y-AUDIO HARNESS

 Y-Harness splits the audio signal to allow for additional audio components to be added

» 2883269

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

LINE OUT AUDIO HARNESS

- Harness designed to extend JST audio signal. Use to run JST audio signal from rear of audio roof to the front of the vehicle
- » 2881652
- XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

RIDE COMMAND ONLY

RIDE COMMAND AUDIO ADAPTER

- Required to hook up any audio Ride Command system
- · Connect up to 2 speaker options and subwoofer
- Specifically designed for subwoofe
- » 2883232

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20 REQUIRED WHEN ADDING AUDIO TO RIDE COMMAND 7" DISPLAY (2884072) DOOR SPEAKERS AND AUDIO AMPLIFIER NOT RECOMMENDED WITH DYNAMIX ACTIVE SUSPENSION MODELS.

SOUND BARS ONLY

SPEAKER BAR HARNESS

- Used to connect sound bar to accessory busbar for power
- » 2882280

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 BUSBAR HARNESS REQUIRED, SEE ABOVE

DOOR SPEAKERS ONLY

DASH AUDIO AMPLIFIER

- This amplifier is a 200-watt TDA-based full-range Class D amplifier with fixed connections for power, ground and turn-on and Delphi connectors for door speakers
- Required with Door Speakers (2-Seat: 2881989 and 4-Seat: 2883116)
- » 2883738
- S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20
- » 2884064

XP TURBO S '19-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '19-20, XP 1000 / XP 10

2884064, see bottom right for details & fitment)

• Two 20.3 cm coaxial speakers with 2.5 cm titanium

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO

14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000

B. EXTREME

AUDIO PODS

tweeters in weatherproof enclosures

Rear Audio Harness included

» 2883739

16-20, 900 15-20

Self-amplified 200-watt per speaker output

High strength molded enclosure for optimal

Lock & Ride connectivity to cargo bed

Deep bass 30.5 cm subwoofer with 5.1 cm voice coil



PRO ARMOR TIRES

are developed and tested with Polaris engineers ensuring the perfect fit and optimal performance.

DOMINATE ANY ENVIRONMENT

CHECK OUT THE FOLLOWING PAGES TO FIND YOURS





INDIVIDUAL WHEELS & TIRES - OR -COMPLETE SETS

RIDE COMMAND & AUDIO

VEHICLE & RIDER PROTECTION

COOLERS

COCKPIT ACCESSORIES



Tread patterns optimized for extreme traction Ideal for both hard pack and loose trai



exible "grippy" tread essive side bite



t to perform in hard sand, jagged

xtra deep tread elf-cleaning lugs



PROARMOR

Each wheel and tire Pro Armor designs for off-road vehicles performs perfectly in the environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.



Pro Armor builds the toughest tires

• Higher ply ratings mean added protection

INNOVATION

DUAL-DUROMETER LUGS (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- Soft durometer rubber on top of lug for sticky grip

DUAL COMPOUND TREAD (Dual-Threat)

- · Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

TIRE: CRAWLER XR

WHEEL: HALO ACCENT



KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14 I I TIRE WHEEL WIDTH DIAMETER TREAD DEPTH in all conditions

Deeper tread = more grip

WEIGHT A lighter tire makes for improved vehicle performance PLY RATING Indicates the punctureresistance of a tire

PADDLE DEPTH Increases grip and performance in the sand





landles extreme cold ds shape and




TIRES

TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

TEST AREAS



TORTURE-TESTED TOUGH SIDEWALLS

and constructed with longevity in mind. With ratings of 4,828 km and beyond, you are assured long life and performance.

SIDEWALL BELTS Increase your resistance to sidewall punctures

LOAD RATING Tires with higher load ratings can handle more weight

RALLY AT THE MINES

⁶⁶ OVERLY IMPRESSED BY THE SIDE BITE IN THE TIGHT PARTS ON THE TRAIL...CONSTANT TRACTION ⁹⁹

- Jeff Parker Columbia, Missouri

EXCLUSION FRANCES AND FRANCE

THAIL DESERT ROCK SNOW

PRO ARMOR ATTACK 2.0

Engineered for excellent hard-pack performance

• Dual-compound technology and radial construction offer performance in all terrains

• Tight thread pattern for quieter ride





ATTACK 2.0 VS. ATTACK

TIGHTER TREAD PATTERN = Better traction in hard pack DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother ride in all terrain

10-PLY RATED = Increased durability LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction



PRO ARMOR ATTACK

• The best all-purpose tire for all-season traction in any terrain

• Unique, full-face tread design

• Harder durometer lugs promote extended wear, increasing tire life

• Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5415613	FRONT	23 mm	13 kg	8	-	413 kg
14"	26" × 11" R14 5415614	REAR		15 kg		3	599 kg

TRONT/REAR WHEEL SIZE



PRO ARMOR DUAL-THREAT

Dual-compound technology and radial construction offer performance in all terrains

Softer durometer rubber on outer edge for overall superior grip and feel

 Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATINO	
14"	26" × 9" R14 5416340	FRONT	16 mm	12 kg			413 k	
14"	26" × 11" R14 5416341	REAR		14 kg			504 x	
14"	29" × 9" R14 5416342	FRONT		16 mm	14 kg	10	3	504 x
14"	29" × 11" R14 5416343	REAR		16 kg			599 k	
15"	32" × 10" R15 5416753	FRONT/ REAR			17 kg			902 k




PRO ARMOR MUD XC


Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud

 Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life

10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" × 10" R14 5416946	FRONT/ REAR		18 kg	10	3	630 kg
14"	27" × 9" R14 5416947	FRONT	30 mm	14 kg			531 kg
14"	27" × 11" R14 5416948	REAR		15 kg			599 kg







10.00

⁶⁶THESE TIRES WERE

FLAWLESS. AT HIGH SPEEDS,

THE CRAWLER XG RUNS TRUE AND FEELS LIKE A Z-RATED

ROCKS, THESE TIRES LIVE UP


TO THEIR NAME. CLIMBING LIKE A MOUNTAIN GOAT WITH RUBBER HOOFS. 55

- RZRLife.com on testing Pro Armor Crawler XG's at King Of Hammers

LEARN TIPS ON ROCK CRAWLING

P. 105

SPORTS CAR TIRE. IN THE



Provides traction and durability Built to perform in hard sand, jagged rocks or any other extreme terrain



PRO ARMOR CRAWLER XR

• Wanna race? This tire grips it all, from the trail to the rocks

WHAT CRAWLER ARE YOU?

Square block profile for even surface contact

• A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	28" × 10" R14 5415536	FRONT/	16 mm	15 kg		3	517 kg
15"	32" × 10" R15 5416114	REAR		18 kg	8		630 kg







			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATINO
14"	30" × 10" R14 5415616			17 kg			581 x
14"	32" × 10" R14 5416113			19 kg			644 4
15"	28" × 10" R15 5416346	FRONT/ REAR	20 mm	15 kg	8	3	499 H
15"	30" × 10" R15 5416397			18 kg			581 k
16"	32" × 10.5" R16 5416401			20 kg			644 4



• Smaller lug height and single durometer gives this high-speed tire added rigidity and lateral stability when cornering

• Unique lug design excels in hard-packed, fast terrain



durability and flex in order to grip slick rock

PRO ARMOR ANARCHY

- Take on any mud pit with the mud master
- Ultra deep lugs for maximum mud traction
- Deep, evenly spaced out lugs help channel the muck out so you can keep going







Extra deep treads

Self-cleaning lugs



			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOA RATII
5"	30" × 15" R15 5416395	FRONT/ REAR	17 mm	21 kg	2	2	531
4 **	27" × 14" R14 5416032	FRONT	16 mm	11 kg	8	2	424

MORE SURFACE AREA FOR BETTER FLOTATION ON SNOW

Snow-specific tire for trails and deep powder. Features an extra wide, bias-ply construction that can run at low pressures for maximum flexibility. High-flotation performance maintains critical vehicle ground clearance in the snow.







15"





WEIGHT: 8.6 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 16" × 7" 1523286 MATTE BLACK: FRONT/REAR 16" × 7" 1523285

CYCLONE WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

ACCENT: FRONT/REAR 15"×7" 1523184-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

G FLARE

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4 ACCENT: FRONT/REAR 15" × 7" 1523102-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458

HALO (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282 MATTE BLACK: FRONT/REAR 15" × 7" 1523266

BHEXLR (BEADLOCK RINGS SOLD SEPARATELY)

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38

ACCENT: FRONT/REAR 15" × 7" 1522435-458

WHITEOUT O

WEIGHT: 6.6 kg | LOAD RATING: 363 kg | OFFSET: -5 MATTE BLACK: FRONT/REAR 15" × 10" 1523149-458

BEADLOCK INCLUDED

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55

ACCENT: FRONT/REAR 15"×7" 1522550-266 MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

FRONT WEIGHT: 6.8 kg | LOAD RATING: 408.2 kg | OFFSET: -4 REAR WEIGHT: 9.1 kg | LOAD RATING: 408.2 kg | OFFSET: -38

MATTE BLACK: FRONT 15"×8" 1523727-458 RFAR 15"×10" 1523728-458

14"

AMPLIFY O

BEADLOCK REQUIRED

╋

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408.2 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9 ACCENT: FRONT 14"×7" 1522956-266 14"×8" 1522957-266

REAR MATTE BLACK: FRONT 14"×7" 1522956-458 14"×8" 1522957-458 REAR DOES NOT FIT XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408.2 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9 ACCENT: FRONT 14"×7" 1522544-266 14"×8" 15 REAR MATTE BLACK: FRONT 14"×7" 15 14"×8" 1522545-458 REAR DOES NOT FIT XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19

COMBAT (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.3 kg | LOAD RAT ACCENT FRONT/R MATTE BLACK: FRONT/REAR 14"×7" 1523283

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408.2 kg | OFFSET: +4 FRONT ACCENT: REAR

SHACKLE O

.9 kg | LOAD RATING: 408.2 kg | OFFSET: +4 .4 kg | LOAD RATING: 590 kg | OFFSET: -9

REAR REAR

REPLACEMENT CAPS

POLARIS C	APS		PRO ARMO	PRO ARMOR CAPS			
LUSTER	ALL WHEELS EXCEPT	1521509-410	LUSTER	ALL WHEELS EXCEPT	5453209-410		
MATTE BLACK	THRASHER, WYDE & HEXLR	1521509-521	MATTE BLACK	THRASHER, WYDE & HEXLR	5453209-458		
LUSTER	HEXIR	1522243-410	MATTE BLACK	WYDE & THRASHER	1523063-458		
MATTE BLACK	HEALK	1522243-458	LUSTER	THRASHER & HEXLR	1523015-410		
	696		MATTE BLACK	00	1523015-458		

LUG NUTS O LUG NUTS REQUIRED						FORG	ED BEAD	LOCK RIN	IGS	
12 mm x 1	.5 SPLINED LUG NU	JTS	.95 cm - 2	.95 cm - 24 HEX LUG NUTS			OCK RINGS	15" BEADI	15" BEADLOCK RI	
16 LUG NUTS WITH WRENCH	TURBO 14-20, XP 1000/TURBO	2879332	16 HEX Lug Nuts		2877409	REBLR ON (EACH INCLUDE		HEXLR ON (EACH INCLUDES		
4 LUG NUTS WITHOUT WRENCH	"14-20, S4 1000 EPS 19-20, S 900 EPS 19-20, S 900 19-20, S 1000 EPS 19-20, S 1000 16-20, 900 S 15-20, 900 EPS '20, 900 14-20, 4 900 15-20, 1000 S 17-20	2879331	570 13-20 4 HEX LUG NUTS		2876754	VOODOO BLUE: MACHINED:	1522244-619 1522244-266	VOODOO BLUE: MACHINED:	1522240- 1522240-	
SPLINED LUG WRENCH	PRO XP '20, XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000/ TURBO '14-20, XP 1000/TURBO '14-20, XP 1000 EPS '19-20, S 900 EPS '19-20, S 900 '19-20, S 1000 EPS '19-20, S 1000 '16-20, AZZ '151 '18-20, 900 S '15-20, 900 EPS '19-20, 900 '14-20, 4 900 '15-20, 1000 S '17-20	2204966	*	ANNA BAB	at 9	COMBAT REPLA	1522244-133 1522244-293 : 1522244-589 CEMENT : 1523147-458	WHITE: INDY RED: ORANGE CRUSH: HALO REPLACEN (MATTE BLACK):	IENT	

522545-266		-
522544-458	FRONT WEIGHT: 5	
522545-458	REAR WEIGHT: 6	; <i>!</i>

ACCENT: FRONT MATTE BLACK: FRONT

WHEELS





TING: 726 kg OFFSET: +38							
EAR	14" × 7"	1523284					

DOES NOT FIT XP 1000/TURBO '18-19 AND XP 4 1000/TURBO '18-19

■ REBLR (BEADLOCK RINGS SOLD SEPARATELY)

REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

14"×7" 1522238-458 14"×8" 1522239-458

.4" × 7" .4" × 8"	1522546-266 1522547-266
.4" × 7"	1522546-458
.4"×8"	1522547-458

SIX'R O

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408.3 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9

MATTE BLACK:	FRONT Rear	 1521507-521 1521508-521	
LUSTER:	FRONT Rear	 1521507-410 1521508-410	

O SPLIT O

FRONT WEIGHT: 4.3 kg | LOAD RATING: 408.2 kg | OFFSET: +4 REAR WEIGHT: 4.9 kg | LOAD RATING: 590 kg | OFFSET: -9

MATTE BLACK:	FRONT	14" × 6"	1522542-458
	REAR	14" × 8"	1522543-458

CK RINGS	
15" BEADLOCK RINGS	

HEXLR ONLY (EACH INCLUDES BOLTS) VOODOO BLUE: 1522240-619 MACHTNED: 1522240-266 WHITE: 1522240-133

INDY RED: 1522240-293 ORANGE CRUSH: 1522240-589 HALO REPLACEMENT (MATTE BLACK): 1523146-458



LIGHTING

RIDE COMMAND & AUDIO

VEHICLE & RIDER PROTECTION

COOLERS

COCKPIT ACCESSORIES

INCHES



 Tread patterns optimized for extreme traction TRAIL Ideal for both hard pack and loose trail



• Flexible "grippy" tread Aggressive side bite



• Built to perform in hard sand, jagged

мир

DUNES Self-cleaning lugs

 Paddles provide traction and durability in soft sand Built to float on top of sand

WHEEL & TIRE SETS

14"	BACKCO DUAL-THREAT 26"	DUNTRY/TR	ATTACK 26"		MUD XC 27"	ANARCHY 29.5"	DESERT/ CRAWLER XG 30"	CRAWLER XG 32"	CRAWLER XR 281	DUNES/ DUNE 28"	SAND SAND 30"	SAND 12XT 30"
MPLIFY Accent	O 2883138	2883146	2882390	2884265	2884272	2882402	2882396	2882452	2882394	2882400	2882398	
IPLIFY Matte Black	O 2883139	2883147	2882391	2884266	2884273	2882403	2882397	2882451	2882395	2882401	2882399	
JCKLE Accent	O 2883140	2883148	2881335	2884260	2884267	2881341	2881560	2882448	2881343	2881345	2881339	
CKLE Matte Black	O 2883141	2883149	2881336	2884261	2884268	2881342	2881561	2882447	2881344	2881346	2881340	
MBAT Accent dlocks pre-mounted	2883217	2883219					2883211	2883215	2883213			
IBAT Matte Black DLOCKS PRE-MOUNTED	2883216	2883218					2883210	2883214	2883212			
ILR Matte Black DLOCKS SOLD SEPARATELY	0		2881381			2881385		2881382	2881386	2881387	2881384	
ACKLE Accent	O 2883142	2883150	2881347	2884263	2884270	2881353	2881558	2882450	2881355	2881357	2881351	
ACKLE Matte Black	O 2883143	2883151	2881348	2884264	2884271	2881354	2881559	2882449	2881356	2881358	2881352	2884034
" R Luster	0		2881359				2881564		2881371		2881365	
' R Matte Black	O 2883144	2883152	2881360	2884262	2884269	2881369	2881563	2882453	2881372	2881375	2881366	
IT Matte Black	O 2883145	2883153	2881404							2881407	2881406	
1		JUNTRY/TR	AIL		DESERI				SNOW	•	SAND	I
15"	HAMMER 30"	DUAL-THREAT 32"	ATTACK 2.0 28"	ATTACK 2.0 30"	CRAWLER XG 28'	CRAWLER XG 301	CRAWLER XR 32"	15"	WHITEOUT 30'	15"	SAND 16XT 30"	SAND 16XT 32"
LONE Accent	2883200	2883694	2883160	2883169	2883188	2883179	2883194	WHITEOUT R15 Matte Black	O 2883172	KNIGHT Matte Black	2884035	2884036
LONE Matte Black	2883199	2883693	2883159	2883168	2883187	2883178	2883193					
RE Accent	2883198	2883696	2883158	2883167	2883186	2883177	2883192					
RE Matte Black	2883197	2883695	2883157	2883166	2883185	2883176	2883191	SEALA	NT		PERFC	RMANCE
() Accent DLOCKS PRE-MOUNTED	2883202	2883698	2883162	2883171	2883190	2883181	2883196	PREMI	JM TIRE SEALANT	1000	FRONT	SWAY BAR KI
0 Matte Black DLOCKS PRE-MOUNTED	2883201	2883697	2883161	2883170	2883189	2883180	2883195	• See P. 79	for details.		» 2881205 XP 4 1000 /	- 458 KP 4 TURBO '16-20, XP 1000 /
LR Matte Black DLOCKS SOLD SEPARATELY	O 2881388	2883699	2883154	2883163	2883182	2883173	2882444	» 946 mL • a » 3.8 L • 283		ER.		VORK WITH HIGH CLEARANC
DE Accent dlocks sold separately	O 2881402	2883701	2883156	2883165	2883184	2883175	2882446	» 19 L • 283	D486			14
DE Matte Black DLOCKS SOLD SEPARATELY	O 2881403	2883700	2883155	2883164	2883183	2883174	2882445	» 19 L PUMF	- 2030401			
16" 16"	ROCK/RA CRAWLER XG 32"							VALVE	COLBY SHORT ULTJ VALVE (2 PACK)	MATE	COLBY EMERGE VALVE (2 PACK)	



WAYS TO INDIVIDUAL WHEELS & TIRES **PURCHASE** COMPLETE SETS AS LISTED


O LUG NUTS REQUIRED. SEE P. 62 FOR CAPS, BEADLOCK RINGS & LUG NUTS

REVOLVER Accent

BEADLOCKS PRE-MOUNTED

BEADLOCKS PRE-MOUNTED

REVOLVER Matte Black



2883292



 Industry leading anti-puncture side walls • Purpose-built, long lasting tread pattern



 Handles extreme cold
 Holds shape and
 provides traction Holds shape and provides traction

LIGHTING

RIDE COMMAND & AUDIO



VEHICLE & RIDER PROTECTION



WINCHES







COLBY COMBO VALVE KIT (16 PACK)

Includes 8 Ultimate valves and 8 Emergency valves

» 2883294

ALL VALVES FIT XP TURBO S '18.19, XP 4 TURBO S '19, XP 4 1000/TURBO '14-19, XP 1000/TURBO '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '19, S 1000 EPS '19, S 1000 '16-19, 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 900 '14-19, S4 1000 EPS '19, S 900 EPS '19, S 9



WHEN PUSHING LIMITS

in punishing off-road environments, keep your RZR protected from harsh hits and damage with an added layer of protection and peace of mind.

HMW FRONT A-ARM GUARDS

» 2880274 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20 » 2880170 900 '14-20 » 2879454 XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, *RZR* RS1 '18-20

> TOUGH .95 cm THICK DESIGN WITHSTANDS

THE TOUGHEST IMPACTS

HMW REAR TRAILING

XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, *RZR* RS1 '18-20

ARM GUARDS

» 2879496

HMW SKID PLATE

» 2-SEAT • 2880290 S 900 '15-20, S 1000 '16-20, 900 '14-20 » 2-SEAT • 2881615 XP 1000 / XP TURBO '14-20 » 4-SEAT • 2881725 XP 4 1000 / XP 4 TURBO '14-20 TO FIT '14-15 ADAPTER BRACKET KIT 2206329 IS REQUIRED

CUSTOM CONTOURED FOR A PERFECT FIT TO **RETAIN MAXIMUM GROUND CLEARANCE**

HMW REAR A-ARM GUARDS

» 2880171 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20 » 2880172 900 '14-20





XXL FENDER FLARES (FRONT ONLY)

• Keep the mud, dirt, and debris from launching off the tires and into your face

Includes 2

» 2881985

XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

• Includes 2 » 2879938



INTRUSION BAR

» 2879181 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 DOES NOT WORK WITH ANY FULL WINDSHIELD DOES NOT WORK WITH LED UNDER ROOF LIGHT BAR MOUNT (2881203, 2881553)

BUMPER ADAPTER

rear bumper, each sold separately » 2880165

10



MUD FLAPS (FRONT ONLY)

 Keeps the front wheels from flipping mud into the cab • Rigid injection-molded design to eliminate warping in high-heat conditions

Designed to specifically integrate into front fender flares

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '15-20



Connects the Upper Cab Frame Extension (2880411) with

S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



REAR CAB FRAME EXTENSION

» UPPER • 2880411 S 900 '15-20, S 1000 '16-20, 900 '14-20

FENDER FLARE KIT

» 2879434

900 '14-20

Stock replacement for 900 Models

Front and Rear Fender Flares (includes 4)

» LOWER • 2880412





KEEP IT **ICE COLD**

28, 57 & 99

LITER FEATURES

» DESERT • 2883392

GRIZZLY TESTED. POLARIS APPROVED.



This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

TravelLock System

ComfortCarry Handles





0

~~~~

PolarWal







» GRAPHITE • 2883425 » DESERT • 2881259



IceLock Seal

» GRAPHITE • 2883424 » DESERT • 2881315



14 LITER

» GRAPHITE • 2883968



**19 LITER SOFTSIDE** » GRAPHITE • 2883390

#### **ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO**

| COOLER ACCESSORIES |                                         | 99 LITER                          | 57 LITER                           | 28 LITER                          |                                                 | DON'T FORGET THESE ACCESS                                                                             | ORIES                              |  |
|--------------------|-----------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------|--|
|                    | WIRE BASKET                             | 2883648                           | 2882185                            | 2882438                           |                                                 |                                                                                                       |                                    |  |
|                    | DIVIDERS<br>Doubles as<br>cutting board | 2883468<br>COMES WITH ONE DIVIDER | 2882184<br>COMES WITH TWO DIVIDERS | 2882186<br>COMES WITH ONE DIVIDER | BB7 mL<br><b>TUMBLERS</b><br>» 887 mL • 2883394 | Image: North star         28 L NORTH STAR         COOLER BRACKET         * 2884070         PRO XP '20 | BOTT<br>OPEN<br>» 28821<br>ALL COL |  |
|                    | SEAT CUSHION                            | NOT AVAILABLE                     | 2882179                            | 2882507                           | » 591 mL • 2883393                              |                                                                                                       |                                    |  |
| SET 10             | WHEELS                                  | 2883967                           | 2882180                            | NOT AVAILABLE                     |                                                 |                                                                                                       |                                    |  |

### 



RIDE COMMAND & AUDIO

LIGHTING

DTTLE PENER

82183 COOLERS

# > COCKPIT ACCESSORIES






### CLICK-6 HARNESS

- Racing-quality premium construction for the greatest security and protection
- Six straps hold a driver securely in place in all riding conditions

One-click, quick-release buckle releases straps, allows easy egress

### » DRIVER SIDE • 2882244

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20 STOCK ON PRO XP ULTIMATE & PREMIUM MODELS DOES NOT FIT 4-PASSENGER MODELS OR HIGHLIFTER MODEL » PASSENGER SIDE • 2882245 XP TURBO S '18-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20 STOCK ON PRO XP ULTIMATE & PREMIUM MODELS DOES NOT FIT 4-PASSENGER MODELS OR HIGHLIFTER MODEL



### **RZR SUBZERO 4 HARNESS**

» DRIVER SIDE 2882281 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20 » PASSENGER SIDE 5885585 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20

# MIRRORS





CONVEX DESIGN DELIVERS WIDE REAR VIEW

**REAR VIEW** MIRROR

• Works with all roofs, soft tops and windshields

» 2877945 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20, 570 '12-20



of pre-designated mounting locations on vehicle frame

» 2881540



### HORN KIT

» 2880416

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 » 2877788

XP 4 1000 / XP 4 TURBO '14, 900 '14, 570 '12-20

### HEATER KIT

» 2881552 XP 4 1000 '14-18, XP 1000 '14-18, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

### » 2879460

» 2884085

### FOLDING SIDE MIRRORS

- Includes left and right mirrors with mounting brackets and hardware
- Hinges feature breakaway design for tight trail conditions and easy trailering
- Mounts directly to factory roll cage at the bolt location, works with windshields and doors

### » 2881198

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20


SCRATCH-RESISTANT GLASS MTRROR LENS

### **CONVEX REARVIEW**

Installs easily: mount bolts into your choice

Convex design provides broad, expanded view of what's behind or alongside the vehicle

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20, 570 '12-20



QUICK GLANCE, WIDE-ANGLE VIEWING FOR MAXIMUM VISIBILITY

### WIDE-ANGLE **REARVIEW MIRROR**

- Stamped steel frame and backing plate with large 6.4 cm x 35.6 cm convex mirror
- Up to 10° of adjustability to adjust to rider height or view preference
- Easy over-structure installation with stamped steel mounts
- » 2881199

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20, 570 '12-20



### SPARCO" PERFORMANCE STEERING WHEEL

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



### ALL WEATHER FLOOR MATS

### » FRONT • 2880414

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 1000 '16-20, 900 '14-20

» FRONT & BACK • 2880415

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '17-18, S 4 1000 '19-20

### SEAT SLIDER

XP TURBO S '18-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

### SWITCH PANEL

- Adds five spaces for rocker switches without blocking storage
- » 2881987

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

LIGHTING

RIDE COMMAND & AUDIO

WHEELS & TIRES

VEHICLE & RIDER PROTECTION

COOLERS



**FEATURES** 

### WHETHER HARD AT WORK OR ON THE TRAILS, ADD A WINCH TO...

- GET THE JOB DONE RIGHT
- GET YOU ON YOUR WAY FASTER
- BE PREPARED FOR UNEXPECTED SITUATIONS

### WHY POLARIS?











BUILT TO WITHSTAND -29° C TEMPERATURES

**TESTED & APPROVED** 


### **REPLACEMENT PARTS**



| ALL POLARIS ENGINEERED |
|------------------------|
| WINCHES COME WITH:     |

### INDUSTRY 1. Set Dial to FREE SPOOL (N) TECHNOLOGY to attach Winch Hoo 2. Set Dial to PULL (L) for Winch Mode **RAPID ROPE RECOVERY** H) 3. Set Dial to ROPE RECOVERY (H) WITH ALUMINUM FAIRLEAD **AUTO STOP TECHNOLOGY** Stops winch at end of pull to prevent driveline stress and plow overlifting Lightweight & Easy to Handle Superior Flexibility & Strength PREMIUM SYNTHETIC ROPE • 15 m long 15 m range wireless remote control WIRELESS REMOTE with unique code for interferencefree operation MODEL 2,041 kg 2,721 kg <u>NEW</u> **PRO XP** '20 2883759 Includes both wired and wireless remote







# 570

» 2879492

570 '12-20 HALE

» 2879493 570 '12-20

» 2878284 570 '12-20

BRUSHGUARD

POLARIS HD 1,588 kg WINCH • All power cables included

in the kit

» 2879334

570 '12-20

### LOCK & RIDE

SPORT ROOF

» BLACK • 2878748 570 '12-20

### HALF DOORS WITH TOP NETS

### » BLACK • 2879614 LOCK & RIDE FULL 570 '12-20 WINDSHIELD - POLY WINDSHIELD - POLY FRONT DELUXE

SEAT ADJUSTER KIT

» 2877390 570 '12-20

### 

• Holds and protects riders' gear

- » 2876439-070 570 '12-20

# > VNIITH



- Provides protection from rain, debris and branches • Installs easily and securely
- Retains open-air riding environment
- Adds sporty style
- » 2877684
- 170 '14, '16-20



### FRONT BRUSHGUARD

- Strong, tough, and protective

- Easy bolt-on installation
- » 2877813 170 '14, '16-20

# MISC

### RZR WHIP FLAG & POLE

» 2881468 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



RIDE & REPAIR ESSENTIALS KIT

### » 2881207

XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



- LOCK & RIDE
- » 2877502 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20, S70 '12-20



» 2881201 XP TURBO S '18-19, XP 4 1000 '19-20, XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20



- TURBO HOOD
- » 2881467 S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20

FIRE EXTINGUISHER MOUNT

» 2881200 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XP TURBO '14-20, S 900 '15-20, S 4 1000 '19-20, S 1000 '16-20, 900 '14-20 HALF WINDSHIELD





VEHICLE & RIDER PROTECTION

COOLERS

COCKPIT ACCESSORIES

### HORN KIT

» 2877788 570 '12-20

- Attaches to the rear cargo bed in 10 seconds
- Rubber gasket seal to keep dirt and moisture out
- Lockable latches, heavy duty hinges, side handles



LOCK & RIDE

» 2878752

570 '12-20

» 2878697

570 '12-20

REAR DELUXE BRUSHGUARD

REAR PANEL - POLY



- Styling and finish complement vehicle's look
- Protects front end of vehicle from impact



### SOFT TOP

- Adds sporty styling and offers protection
- Provides shade for riders
- Protects against rain, overhead branches, etc.
- Easy installation
- » 2877685
- 170 '14, '16-20



# SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

### PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C

### OUR FORMULATION

- Full-synthetic formula with wide, 5W-50 viscosity range
   Extreme cold weather flow and
- Extreme cold weather now and startup protection
   Maximum rust and corrosion protection
- Proprietary anti-wear additive system

» 3.81

2876245

- sion protection and periods of non-use or storage
  - Reduced friction, protects cams, pistons, bearing and valvetrain components from wear

» 208 L Drum

2876246

YOUR ADVANTAGE

All-weather engine protection

Easy starting in all conditions

Internal engine protection from

extreme temperature fluctuations

» 1249 I

2878814

### PS-4 EXTREME-DUTY FULL-SYNTHETIC OIL

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 54° C

» 60.6 L

2879003

### OUR FORMULATION

### Extreme high-temperature

- engine protection
   Full-synthetic formula with strong, 10W-50 Viscosity Range
- Protects against rust and corrosion of internal engine parts during periods of non-use or storage

» 3.8 L

2878919

extreme heat, stress and sustained high RPM conditions

YOUR ADVANTAGE

High-strength film protection withstands

- Extremely shear stable, maintains viscosity under heat and stress
- Protects engine from moisture that can build up inside the engine as a result of extreme temperature fluctuations

2879002

# OIL CHANGE KITS

These convenient kits include everything you need to change your oil. The correct filter and oil volume for your vehicle.

| IPS-4       | IPS-4                                                          | EXTREME DUTY |
|-------------|----------------------------------------------------------------|--------------|
| PART NUMBER | VEHICLE FITMENT                                                | PART NUMBER  |
| 2202166     | RANGER/RZR/SPORTSMAN 570,<br>TWIN 600, TWIN 700, TWIN 800      | 2879004      |
| 2879323     | RANGER, POLARIS GENERAL, RZR<br>900/1000, RS1                  | 2879324      |
| 2877473     | RANGER/ SPORTSMAN 300-500,<br>SPORTSMAN/SCRAMBLER 500/850/1000 | 2878924      |
| 2881696     | RZR TURBO                                                      | 2881697      |
|             |                                                                |              |

### OIL DEVELOPMENT

» 60.6 L

2876247

POLARIS INVESTS IN EACH OIL AT AND ABOVE THESE LEVELS.

### **12** DEDICATED TEAM MEMBERS

».95 L

2878920

FOCUSED ON POLARIS OIL



» 1249 L Tote

2879001

DEVELOPMENT & TESTING



DYNO TESTING



FIELD TESTING



».95L

2876244



ENGINEERED LUBRICANTS

### FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

### WHAT COUNTS IN OIL TESTING:

Does it protect the engine at high temperatures?
 Does it keep the engine free from carbon and buildup?

**3.** Does the oil hold its viscosity over time?

### ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

**RING LANDS:** Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

**PISTON RINGS:** During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

**ROD BEARINGS:** Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

**CAMSHAFT:** Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

# MAINTENANCE FLUIDS

### OIL

Maximum protection for your 4-cycle engine. Exclusive anti-wear additives protect your engine and extend the life of engine components.

Change every 100 hours, 6 months or 800 km

### AGL

Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils. AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environments.

### Change every 100 hours, 12 months or 1600 km

» .95 L • 2878068

- » 3.8 L 2878069
- » 9.5 L 2878070
- » 208 L 2879594



molybdenum disulfide to accept the high shock applications of Polaris ATV shaft drive universal joints. Add every 50 hours, 3 months

or 800km. » 89 mL • 2871515

» 414 mL • 2871551



SHOCK OIL » .95 L • 2870995 » 9.5 L • 2872279 FOX® REBUILDABLE SHOCKS

PREMIUM GAS





CHAIN LUBRICANT » 473 mL AEROSOL

ALL-SEASON GREASE TUBE » 89 mL • 2871322 » 414 mL • 2871423



ANTI-FREEZE Organic acid technologies to

prevent corrosion on metal . components, eliminate

Change every 60 months

» .95 L • 2880514

» 3.8 L • 2880513

» 208 L • 2880512

scaling, and maximize cooling system performance.

> CARBON CLEAN

# TIRE SEALANT

### HOW IT WORKS

Tire sealant remains liquefied inside your tire until a leak develops in the tire or wheel.

Once a leak occurs, the tire sealant rushes out of the tire and quickly creates a permanent solid plug.

The plug maintains the pressure of the tire so you can continue your ride.





8 TRAILERING

### LUBRICANT ACCESSORIES



### GREASE GUN KIT

- » 2871312
- FITS 2871322 ALL-SEASON AND 2871515 U-JOINT 88.7 mL

### 2D BATTERY-OPERATED SIPHON PUMP

- Liquid transfer pumps 4.7-5.7 L/ min. suctioning powe
- Use with gas, water, oil, and other non-corrosive liquids
- » 2830513

### FLEX SPOUT

- Convenient easy pour flex spout fits all Polaris milliliter, liter, and 9.5 L bottles
- » 2871285

### PUMP

- Attaches to 3.8- or 9.51 bottle for easy, no-drip dispensing
- > 2870465

### ORV MAINTENANCE KIT

- · Everything you need to maintain your drive train, and keen your vehicle in ton operation condition
- Includes: 1.4 L AGL, .95 L Angle Drive Fluid, 1 pint Demand Drive Fluid, 38 mL tube of All-Season Grease
- » 2880425

Prevents ethanol corrosion, stabilizes fuel, and cleans fuel injectors, piston ring lands, intake systems, and combustions chambers. Helps maintain peak HP and mproves fuel economy

DOT 4 BRAKE FLUID

A high-quality brake fluid designed

for use in Polaris hydraulic brakes. Superior high-temp characteristics

the life of brake system components and provide

or every 2 years.

» 355 mL • 2872189

DEMAND DRIVE FLUID

Provides positive 4WD engagement in

extreme cold or high heat conditions. Unique friction additives protect internal

components under heavy loads and

promote positive engagement.

».95 L • 2877922

» 9.5 L · 2877923

Change every 100 hours or yearly.

consistent, positive braking

olus anti-corrosive additives extend

• Change every 200 hours, 3200 km





### ADVANCED FUEL TREATMENT

Prevents ethanol corrosion and stabilizes fuel for up to 2 years. **Dual-antioxidant formula** protects against gum and varnish for easy starting.

- » 355 mL 2881416
- » 9.5 L 2881417

### PREMIUM TIRE SEALANT

- Instantly seals and repairs rim, bead leaks, and punctures up to .64 cm on standard tires, and 1.9 cm on heavy ply tires
- Helps maintain air pressure for the life of the tire
- Helps seal the tire bead against the whee
- 100% water soluble for easy cleanup
- » 946 mL 2830484 » 3.8 L • 2830485 » 19 L • 2830486

- Will not rust, corrode, or pit wheels Creates permanent repair
- Remains fluid and effective in temperatures down to -43° C
- Easily installed through existing tire valve stem with valve core rem
- » 19 L PUMP 2830487
- » 208 L 2830489
- » 1041 L 2830488

### 24 X 7 COVERAGE BE PREPARED FOR ANYTHING

# FOR THE LIFE OF YOUR RIDE

so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

### MAINTENANCE TIP

### **BREAK-IN PERIOD**

The break-in period for your new RZR is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

### **AIR FILTERS**

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual. which may be shorter if your vehicle is subject to severe conditions.

### **BRAKE PADS**

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion or warping

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be discarded and replaced. Discs need to be cleaned with brake

cleaner or alcohol based cleaner only.

### HALF SHAFT

Extreme elements can contribute to axle failure when grease escapes the joint. This usually occurs if the CV boot becomes compromised. Full replacement or part specific available

### BATTERIES

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer<sup>®</sup>, P. 86, Be sure to check for corrosion from the terminals to the ends of the cables

350 HRS/4020 km

MONTHS

ENGINE OIL:

REPLACE AS NEEDED

REPLACE AS NEEDED

LUBRICATION:

CABLES, ETC.

DRTVE BELT:

GENERAL

TEST, CLEAN, & CHECK FLUID LEVEL

INSPECT & ADJUST

ALL FITTINGS, PIVOTS.

EXHAUST SYSTEM:

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

CHANGE

BATTERY:

200 HRS/3200 km



ENGINE OIL: CHANGE BRAKE PADS

& FLUID: INSPECT & CLEAN REPLACE AS NEEDED SPARK PLUGS:

INSPECT REPLACE AS NEEDED EXHAUST SYSTEM:

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TTRES: INSPECT CONDITION **8** PRESSURE

EXHAUST SYSTEM: **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TRANSMISSION FLUID: CHANGE

EXHAUST SYSTEM: **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS/800 km

MAINTENANCE SCHEDULE



INSPECT & CLEAN

CABLES, ETC.

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS.

EXHAUST SYSTEM:

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

ALL FITTINGS, PIVOTS, CABLES, ETC. **AIR FILTER:** INSPECT & CLEAN REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

25 HRS/400 km

ENGINE OIL:

LUBRICATION:

CHANGE

GENERAL

**BREAK-IN** 

MAINTENANCE

### POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY. We build our products

# RICANTS

### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

### BREAK-IN PERIOD

- · Use lower gear (if available) while varying speeds and avoiding wide open throttle for
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for

### OUR INVESTMENT

- 32.187 kilometers of field testing
- Thousands of dyno hours • 18+ months of development
- (3,000+ design hours) per belt 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

### VOUR ADVANTAGE

- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum vehicle performance
- More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

### **OIL FILTERS**

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

MONTHS

500 HRS/8045 km

ENGINE OIL: CHANGE

AIR FILTER: INSPECT, CLEAN REPLACE AS NEEDED

COOLANT: CHECK LEVEL **REPLACE EVERY 2 YEARS** 


**GEARCASES:** CHECK OIL LEVEL

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR CHECK YOUR **OWNER'S MANUAL** FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-SPECIFIC TIMING



All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts. These heavyduty parts are engineered for riders who want greater durability and enhanced performance. HD Parts are designed and tested to handle greater wear and tear under all weather conditions. This means longer ride times with less service interruptions and related costs.





DUST



MUD



**EXTREME** COLD DOWN TO -40° C

### SUSPENSION **BOOTS**<sup>\*</sup>

- Thicker, stronger boot material better withstands cuts and tears
- Prevents the intrusion of water and contaminants, increasing joint life
- More resistant to cracking due to aging

### BRAKE PADS<sup>\*</sup>

- Longer wear life
- Improved braking in wet & muddy conditions
- mud and debris • Longer life between service and replacement

WHEEL

**BEARINGS**\*

• Utilizes a triple lip seal for

improved protection against

· Specifically designed for Polaris vehicles



**EXTREME** HEAT UP TO 54º C

### LUBRICANTS<sup>\*</sup>

- Increased tread life
- Material and design for enhanced puncture resistance

**TIRES**<sup>\*</sup>

- protection Increased rust and corrosion protection
- Reduced chance of thermal breakdown in high-temp environments

### \*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use.



### HEAVY PAYLOADS

• High-temperature engine



**BATTERIES**\*

Improved starting in cold/poor conditions means increased performance of accessories and longer vehicle operation.

- Larger Capacity Measured in Ah (Ampere Hours) HD batteries store more energy
- Higher Output Measured in CCA (Cold Cranking Amps) HD batteries deliver more power when starting and power more auxiliary items

# **SERVICE** PARTS

### Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



### **VISIT YOUR POLARIS DEALER TO** SHOP FOR SERVICE PARTS.



# FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



# POLARIS ENGINEERED **DRIVE BELTS**

### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

### OUR INVESTMENT

- 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development
- (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

**OUR INVESTMENTS ENSURE POLARIS BELTS** OUTPERFORM YOUR EXPECTATIONS



### YOUR ADVANTAGE

- No clutch recalibration
- Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching



# **BatteryMINDer®**

### **ENSURE YOUR RIDE IS READY WHEN YOU ARE.**

- Add years of capacity, power and range to new and older batteries, regardless of type or brand
- Never over- or under-charged in any temperature
- Leave your vehicle connected for months and return to fully charged and conditioned batteries

PART NUMBER

CHARGING CL

OVERCHARGI

BATTERIES M

BATTERY CON

COMES WITH

**KEY FEATURE** 

**VOLTAGE** 

 Recover older or weak batteries that would normally need to be replaced

 Charge and maintain extra backup batteries as well as those in your vehicle

 Automatic turn-on, sleeps while keeping your batteries at full charge · Easy push-button selector to change battery type or time

BATTERY

TIPS

MAINTENANCE

Extend your battery life

with a BatteryMINDer®

1. Store batteries in a cool,

2. Check that the battery connections are tight. Cables

should not be able to be rotated or shifted by hand.

and these tips.

dry location.





NEW

|            | T                                                                   |                                                                                                                                                                                                                                   |                                                                                                                                                                                                    |                                                                                                                                                                                                                                                         |
|------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|            | 2012 AGM 2-AMP                                                      | 2012 LEAD ACID<br>2 AMP                                                                                                                                                                                                           | 1510 1.5 AMP                                                                                                                                                                                       | 1.5 AMP<br>CONVERTIBLE                                                                                                                                                                                                                                  |
|            | 2830438                                                             | 2830531                                                                                                                                                                                                                           | 2830404                                                                                                                                                                                            | 2830511                                                                                                                                                                                                                                                 |
|            | 12 V                                                                | 12 V                                                                                                                                                                                                                              | 12 V                                                                                                                                                                                               | 12 V                                                                                                                                                                                                                                                    |
| RRENT      | 2AMP                                                                | 2AMP                                                                                                                                                                                                                              | 1.5AMP                                                                                                                                                                                             | 1.5AMP                                                                                                                                                                                                                                                  |
| PROTECTION | Yes                                                                 |                                                                                                                                                                                                                                   |                                                                                                                                                                                                    |                                                                                                                                                                                                                                                         |
| AINTAINED  | 6 at or                                                             | ne time                                                                                                                                                                                                                           | 4 at one time                                                                                                                                                                                      |                                                                                                                                                                                                                                                         |
| PATIBILITY | 12 V Sealed AGM Lead-Acid                                           | 12 V Flooded (filler cap                                                                                                                                                                                                          | o) and Sealed Maintenance                                                                                                                                                                          | e-Free Batteries                                                                                                                                                                                                                                        |
|            | • Non-fused battery clip cord<br>set with Quick Connector           | <ul> <li>BC-2410: 61 cm Non-fused<br/>battery clip cord set with<br/>Quick Connector</li> <li>RTA-2415: 61 cm Fused ring<br/>terminal cord set with<br/>Quick Connector</li> <li>ATS-1: Ambient<br/>Temperature Sensor</li> </ul> | <ul> <li>Ambient<br/>temperature sensor<br/>(installed)</li> <li>3.7 cm power cord</li> <li>Battery clip cord set<br/>with Quick Connector</li> <li>Optional permanent<br/>mounting tab</li> </ul> | Auto-temp<br>compensation<br>sensor (installed)     Optional permanent<br>mounting brackets<br>and screws     Battery clips<br>(fully-insulated, aircraft<br>grade, 15A replaceable<br>fuse)     Ring terminal<br>assembly with 15A<br>replaceable fuse |
| ;          | Designed for high-<br>performance specialty AGM<br>sealed batteries | Diagnoses battery's<br>condition - can predict<br>failing batteries                                                                                                                                                               | Easy to use,<br>economical                                                                                                                                                                         | Convertible<br>on-vehicle<br>or bench top use                                                                                                                                                                                                           |

### **BATTERYMINDER® ACCESSORIES**



BatteryMINDer<sup>®</sup> 3.7 m CABLE

 Made with heavy-duty 16 gauge black zip cord featuring automotive SAE bullet connectors

» 2830410



Allows easy connection to

or 12/24V nower port with

replaceable 15 amp fuse

» 2830518

BatteryMINDer<sup>®</sup> VPP-12:12/24 VOLT VEHICLE POWER PLUG

vehicle's battery through lighte

» 2830409



BatteryMINDer\* SPLITTER

> Connect two batteries simultaneously for easy batterv maintenance · Cap includes a set of

> > ring terminals




BatteryMINDer<sup>®</sup> RING TERMINAL

• Features 61 cm long 18-gauge wire Plug has standard .8 cm

negative and .95 cm positive terminals

 Replaceable 15 amp in-line fuse for circuit protection

» 2830437



BatteryMINDer<sup>®</sup> EZ CONNECT

 Allows for quick and easy connecting and disconne of your BatteryMINDer®

 Includes a set of ring terminals

» 2830411

# 108 c 185 cm



### POLARIS FLEX JUMPSTARTER

• 12,000 mAh capacity. Two 5V/2.1A USB outputs, 200-lumen flashlight, and a digital battery life monitor. Includes storage case, smart jumper cables, car charger, wall charger, and user guide · Jumpstart any engine up to 6.4L. The Polaris Flex Jumpstarter is small enough to be stored in your alovebox and holds its charge so you can count on it when it's needed

» 2830495

### SHOP ACCESSORIES



PARTS TRAY

» SILVER • 2830432



POLARIS MAGNETIC POLARIS 84 cm TELESCOPIC MAGNET

» BLACK • 2830435



of clogs. to remove grease

5. Connect a BatteryMINDer\* after using your vehicle even if the vehicle is in regular use.

### 01I ģ LUBRICANTS

# VEHICLE CARE & TRAILERING

# IT SECURELY IT SAFELY



### POLARIS VEHICLE LIFT

- Get fast, easy access to the underside of your vehicle
- Manual and pneumatic operation available
- Raises vehicle up to 82 cm to make repairs and maintenance faster and easier
- » 544 kg 2830424

### LIFT ATTACHMENTS

- Add the appropriate attachment to use you lift for all your off-road vehicles
- » ATV/POLARIS ACE 2830427
- » SNOWMOBILE 2830426





### **POLARIS X3 CREEPER**

- Three positions: flat, 45-degree angle or seated work stool
- Helps you perform any repair with ease
- Stay dry and warm away from cold, wet cement floors
- · Easily stores away when not in use

» BLACK • 2830429



POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER



POLARIS LED POCKET FLASHLIGHT

» BLACK / BLUE • 2830434

» BLACK • 2830436

# CV BOOT **REPAIR KIT**

- A quick trail side fix to increase trail time
- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- · Universal fit works as a temporary fix for most powersports axles
- All components fit inside the cone, and a cover is provided for compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations

unner & lower hall inints

Refer to your owner's manual for further instructions and torque specifications. \*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

### FIX ON THE GO | TEMPORARY COVERAGE

| UTV CV BOOT<br>REPAIR KIT         | UTV TRAIL<br>BOOT ONLY |
|-----------------------------------|------------------------|
| Kit includes the following items: | » 2830527              |
| • (1) Expandable XL CV Boot       |                        |
| • (1) Reusable Cone Tool          | ATV                    |
| • (2) CV Boot Clamps              | AIV                    |
| • (1) Tube of Silicone Lube       | » CV REPAIR KIT        |
| • (1) Grease Packet               | 2830528                |
| • (1) Cone Cover                  | » TRAIL BOOT ONLY      |
| » 2830526                         | 2830529                |

install clamps.

m (ll


Spread silicone lube on entire cone tool, Slide boot over cone tool, Side boot over cone tool, S

L





ALUMINUM ARCHED LOADING RAMPS



### LIGHTWEIGHT TRI-FOLD RAMPS

- Ramp folds up for transport · Capacity for up to 681 kg Safety straps included » 183 cm x 130 cm · 2875385

- » 208 cm x 130 cm 2875860


### HITCHES

### 3:1 HITCHES

» 193 cm x 30.5 cm • 907 kg • 2875384

» 224 cm x 30.5 cm • 1361 kg • 2875386

VERSATILE 3 IN 1 FUNCTIONALITY



 Ball, pin and hook design Durable, rust resistant steel with

### Removable ball • HD 1.6 cm pin and clip

black powdercoated finish





4.8 cm BALL

 4.8 cm replacement ball for hitch Designed to work with 3:1 Hitch » 2830524



TRAILER BALL 1.9 cm SHANK

» 4.8 cm BALL • 2877602 » 5 cm BALL • 2877603

### AIR FILTER

» 5 cm RECEIVER TONGUE

» FRONT HITCH RECEIVER

» 5 cm x 5 cm RECEIVER

» 3 cm x 3 cm RECEIVER

2830522

2830523

RECEIVER

HITCH

2875320

2878846

### PREMIUM FILTER KIT

- Polaris Ultraweb high performance air filte
- Provides superior engine protection with 99.99% efficiency
- Superior dust-holding capacity
- · Lower restriction offers better performance for high horsepower, torque, and acceleration
- » 2882233

S4 1000 EPS '19-20, S 900 EPS '19-20, S 900 '19-20, S 1000 EPS 19-20, S 1000 16-20, 900 S 15-20, 900 EPS '20, 900 '14-20, 4 900 15-20, 1000 S 17-20

» 2882234 XP TURBO S '18-20, XP 4 TURBO S '19-20, XP 4 1000/ TURBO '14-20, XP 1000/TURBO '14-20

### **CLEAN YOUR VEHICLE**

Remove brake caliper, hub, tie rod, & Remove old boot & clean joint,

Fin

K

### PRE-TREAT

Remove wheel and axle nut

### MUD SHIELD PRE-TREATMENT

• Inhibits the adhesion of dirt, mud, and snow, making cleaning vour vehicle faster and easier.

» 473 mL AEROSOL

### CLEAN

» 473 mL AEROSOL

| XP<br>WASH                                                                                                                                     | XP SPRAY<br>WASH                                                                                                                                               |  |
|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <ul> <li>Foaming, highly-<br/>concentrated wash easily<br/>removes the most stubborn<br/>and intense dirt build-up.</li> <li>946 mL</li> </ul> | <ul> <li>Effortless biodegradable,<br/>high-performance wash<br/>ideal for removing dirt, oil<br/>and carbon-simply spray<br/>on, spray off and go.</li> </ul> |  |
|                                                                                                                                                | » 946 mL                                                                                                                                                       |  |

rt, oils sprav results

### SHINE

### POLARIS POLISH

• Easy protection and shine-spray on, wipe off, and go. For ideal use on painted and plastic surfaces. Contains carnauba wax.

» 355 mL

SHINE & DETAILER

» 90 CT • 2830441

### plastic and painted surfaces.

### **CLEAN YOUR SHOP**

### TOWELS

### POLARIS SHOP TOWELS

» 200 CT WITH DISPENSER 2830402 » 200 CT REFILL • 2830403 » 64 CT REFILL • 2830440



### POLARIS HEAVY-DUTY SCRUBBER WIPES

foaming formul stains and soil

INSTANT

- Spray and wipe formula-cleans, polishes, and protects
- SHOP

### ALL-PURPOSE

• Professional-grade formula removes built-up stains from shop floors, work benches, and other hard surfaces.

VOC-free, environme and biodegradable.

» 3.8 L • 2830418

» 19 L • 2830420



**NEVER RUST SPRAY** 

### Synthetic formula highly resistant to water protects against rust and corrosion while lubricating metal surfaces. **GRADE CLEANERS**

**Items shown are** 

contained inside cone

large end first. See package for

outer hoot instructions

HOW TO INSTALL

### VEHICLE

**VEHICLE &** EQUIPMENT WASH

Concentrated professional grade formula powers through vehicle buildup, dirt and grease with a spot-free rinse. Treat up to 121 L. Biodegradable product.

PROFESSIONAL

» 3.8 L • 2830417 19 L • 2830422

**CLEANER PLUS** 

3.8L•2830414

» 19 L•2830416

### HD CLEANER & DEGREASER

al-grade, biodegradable, high-rmula dissolves and re<u>moves</u>

RICANTS

# **BRING IT EVERYWHERE**

### FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport
- · Capacity up to 1,361 kg
- Safety straps included
- » 224 cm x 30.5 cm 2875387

### STRAPS & ROPES



### RECOVERY STRAP

- 5 cm x 9 m (8165 kg)
- Comes with carry bag
- » 2884033



### RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings, double J-hooks
- 4536 kg maximum load. 1497 kg working load
- » 2884032



### SHOCK STRAP

- 3.8 cm 1361 kg breaking strength
- Keeps tension on tie-down straps to secure load
- 2 Pack
- » 3.8 cm x 4.6 m 2883296



» 2689506



### RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Pack
- Heavy duty webbing
- 2495 kg maximum load, 831 kg working load
- » 2884031



- 3.8 cm 1361 kg breaking strength
- Keeps tension on tie-down straps to secure load
- · 2 Pack
- » 3.8 cm x 2.1 m 2883295

### TRAILERABLE COVER BY POLARIS

- » ////// 2883764 PRO XP '20
- » 2-SEAT 2880327 S 900 '15-20, S 1000 '16-20, 900 '15-17
- » 2-SEAT 2880325 900 '14-20 **SHOWN** » 2-SEAT • 2879373
- XP 1000 / XP TURBO '14-20, S 1000 '16
- » 2-SEAT 2876526
- 570 '12-20 » 4-SEAT • 2879949
- XP 4 1000 / XP 4 TURBO '14-20, XP 1000 / XF TURBO '17, S 4 1000 '19-20
- » 2-SEAT 2880326



RVICE

PARTS

BATTERY &

LIFTS

# **RIDING JERSEYS & GLOVES**







**JERSEY** | 2860646 **GLOVE** | 2860641

BLUE/LIME **JERSEY** | 2860647 **GLOVE** | 2860642

MULTICOLOR **JERSEY** | 2860648 **GLOVE** | 2860643





**GLOVE** | 2860644

GLOVE | 2860645



BOLD TECHNICAL GEAR TO **INSPIRE EVERY ADVENTURE** 



### FABRIC TECHNOLOGY DESIGNED TO KEEP YOU COOL

Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore® reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays. Available in long and short sleeve.

# LAYERING

FULL ZIP MID LAYER S-3XL BLACK/PINK | 2860564

• Enhanced fit for full range of movement 280 grams of breathable fleece



S-3XL | 2860548

WOMEN'S GRAY/PURPLE S-3XL | 2860549

S-3XL | 2868512

# **COOLING SHIRTS**

WOMEN'S LONG SLEEVE COOLING SHIRT S-3XL | 2860640





**NIEW** 





NAVY | 2860552 GRAY | 2869925 • Wind blocking layer on chest

• 280 grams of breathable fleece



# **HELMETS**

# **FOR PØLARIS**®

### 509<sup>®</sup> ALTITUDE HELMET

### STYLISH, LIGHTWEIGHT HELMET WITH 509° FIT AND FINISH

| SHELL                                  | FEATURES                                                                                          |
|----------------------------------------|---------------------------------------------------------------------------------------------------|
| • Thermoplastic poly alloy outer shell | <ul> <li>Revolutionary neck brace-ready shell pro</li> <li>Specially designed expanded</li> </ul> |
| WEIGHT                                 | polyurethane chin insert<br>• Eight intake/exhaust vents                                          |
| • 1260 grams                           | Universal camera mount included                                                                   |

rofile Removable breath box included • Three outer shell molds across eight sizes for excellent fit • DOT- and ECE 22.05-approved

RED







BLUE



S-4XL | 2867820 S-4XL | 2867819

GRAY S-4XL | 2867817

### 509° ALTITUDE CARBON HELMET

### DURABLE, ULTRA LIGHTWEIGHT, CARBON FIBER

| SH | ELL |  |
|----|-----|--|
|    |     |  |

### FEATURES Full carbon fiber shell Fidlock<sup>®</sup> magnetic chin strap

WEIGHT • 1100 grams

- Revolutionary neck brace-ready shell profile • Removable breath box included • Universal camera mount included
- Eight intake /exhaust vent ports technology, easy-on/off technology Fully convertible for winter and summer use · Three outer shell molds across eight sizes for excellent fit • DOT- and ECE 22.05-approved
- CARBON GLOSS S-4XL | 2867815

CARBON MATTE S-4XL | 2867814

# GOGGLES

### KINGPIN 509<sup>®</sup> DIRT GOGGLE

### PREMIUM MATERIALS, ATTRACTIVE PRICE

### FEATURES

• Oversized spherical lens delivers optimal peripheral vision Metal tear off posts provide strength and durability • Quick-Change technology allows you to run the best lens tint for conditions



BLUE 2868667





### **TENACITY HELMET**

### ALL THE STYLE & PROTECTION IN OUR MOST AFFORDABLE HELMET

FEATURES

| SHELL<br>• Injection-molded plastic |
|-------------------------------------|
| WEIGHT                              |
| • 1450 grams                        |

• Stay cool when pushing the limits with oversized mouth intake and top vents with six rear exits • Stay warm on cold days with optional breath deflect or insert (sold separately)



BLACK MATTE XS-2XL | 2868619

LIME GLOSS XS-2XL | 2868621



**TEKVEST**<sup>®</sup> ULTIMATE PROTECTION

### VISIT POLARIS.COM FOR TEKVEST<sup>®</sup> SIZING



**TEKVEST® SUPERSOFT** S-3XL | 2862190

· Zip-off fleece collar diffuses rising body heat to reduce fogging

Large arm openings for unrestricted movement

• Drop-tail design for extended coverage

2-stage pockets

movement

• Use off-roading and/or snowmobiling

cooling airflow

ORANGE 2868668





2868670

LIME 2868671





OUTERWEAR & PROTECTION

MEN'S RZR

WOMEN'S RZR & YOUTH

LIFESTYLE & CAPS

CAMO & GIFTS

- Removable, machine-washable liner keeps
- things fresh ride after ride
- DOT- and ECE 22.05-approved

RED GLOSS XS-2XL | 2868623

BLUE GLOSS XS-2XL | 2868622

BLACK/GRAY XS-2XL | 2868620

PINK GLOSS XS-2XL | 2868624

**TEKVEST® FREESTYLE** S-3XL | 2862189

- Strong, protective ultra high molecular weight panels cover shoulders · Front and rear mesh panels promote
- Large arm openings for unrestricted



### TEKVEST SHOULDER PAD S-3XL | 2862192

- Strong and protective Ultra High Molecular Weight Polyethylene
- Adjustable bicep strap
- · Quick-attach design for installation or removal in seconds



TEKVEST<sup>®</sup> YOUTH S-3XL | 2862191

- Adjustable side straps and arm straps
- Strong, protective ultra high molecular weight panels cover shoulders
- Large arm openings for unrestricted movement

# **OUTERWEAR**



### NEW FLANNEL JACKET

Stylish and warm flannel shirt/iacket with front snap closure available in 2 colorways. Soft yet durable brushed flannel on the outside lined with warm Sherpa fleece on the inside. Available in Men's sizing S-3XL.

### Ample storage with 5 total pockets:

- External pockets include 2 chest and 2 hand pockets with snap closures
- One internal pocket with zip closure



BRONZE S-3XL | 2860864

### WORK JACKET

This warm and rugged jacket was engineered to be tough enough for work and stylish enough for play. The outer fabric is crafted with Nylon 6, a durable, non-stretch woven fabric that is rugged and tear resistant but feels like a soft, comfortable material. Protection and warmth with 100% nylon shell coated with durable water repellency (DWR).

### External features:

- · Superior Durable Water Repellent (DWR) treatment
- provides water-resistance in the elements • Four external pockets for maximum gear storage
- Customized fit with Velcro® wrist closure cuffs

### Internal features:

- + 80 gram 3M° Thinsulate for warmth on chilly days
- Built in action back provides comfortable movement
- and increased range of motion
- Internal zipper pocket
- Brushed flannel trim



GREEN S-3XL | 2860862



### SOFTSHELL JACKET

LIGHTWEIGHT PERFORMANCE THAT'S SURPRISINGLY WARM AND PERFECT FOR EVERYDAY WEAR



# **OUTERWEAR BUILT TO** WORK HARD **S PLAY HARD**

# **JACKETS**

**APPAREL & HELMETS** 

OUTERWEAR & PROTECTION

MEN'S RZR

WOMEN'S *RZR* & YOUTH

LIFESTYLE & CAPS

CAMO & GIFTS

• DWR prevents precipitation from saturating the jacket's exterior • Three external and one internal pocket • Lined with 280 grams of soft fleece for warmth Removable hood and underarm venting

MEN'S



**BLUE/ORANGE** S-3XL | 2869919

BLACK/LIME S-3XL | 2860544





RAIN JACKET GRAY S-3XL | 2869527

RAIN PANTS GRAY S-3XL | 2869528

 $\cdot$  100% waterproof lightweight and packable nylon

YKK<sup>®</sup> Zippers

• Rain jacket has removable hood

# **MEN'S RZR APPAREL**



NEW RZR SNAP BACK HAT One-Size BLACK | 2860612 BLACK/RED | 2860611



 RZR PATCH HAT

 BLACK/RED | S/M | 2860607

 BLACK/RED | L/XL | 2860608

 GRAY/ORANGE | S/M | 2860609

 GRAY/ORANGE | L/XL | 2860610





RZR LOGO HOODIE S-3XL GRAY/LIME | 2860704 BLACK/RED | 2869587 NAVY/ORANGE | 2869586



RZR FULL ZIP HOODIE S-3XL CHARCOAL HEATHER | 2860720 BLACK | 2860719



RZR BOLT TEE S-3XL GRAY | 2860707 RED | 2860708



RZR MIDNIGHT TEE S-3XL BLACK | 2860705 GRAY | 2860706

96

MEN'S RZR

WOMEN'S *RZR* & YOUTH

LIFESTYLE & CAPS

CAMO & GIFTS

**NEW RZR EDGE TEE** S-3XL **BLACK** | 2860729 NAVY | 2869603



RZR AIR TEE S-3XL WHITE | 2860702 BLACK | 2869591

# WOMEN'S RZR APPAREL





 NEW

 RZR REPEAT TEE

 S-3XL

 PURPLE | 2860711

 TURQUOISE | 2860712

SZR. REPEAT

RZR SCENIC TEE S-3XL BLACK | 2860714 MARITIME | 2860715 **RZR LOGO TEE** S-3XL BLACK | 2860703 NAVY | 2869583 MARINA BLUE | 2869582





VIIV YOUTH JERSEY S-XL MULTICOLOR | 2860653 BLUE | 2860651

# **YOUTH APPAREL**



YOUTH MIDNIGHT TEE S-XL BLACK | 2860721 APPAREL & HELMETS

# LIFESTYLE





WOMEN'S CORE FULL-ZIP HOODIE S-3XL GRAY/BLUE | 2860567 BLACK/PINK | 2860615

POLARIS

S-3XL

BLACK | 2860568

GRAY FROST | 2860569



QUARTER ZIP S-3XL WOMEN'S BLACK | 2860550 WOMEN'S PURPLE | 2860551 MEN'S BLACK | 2869535 MEN'S GRAY | 2869536

WOMEN'S ROSEAU TEE

S-3XL BLACK | 2868586 **PURPLE FROST** | 2860591 GRAY FROST | 2869559

# **CAPS**

NEW



PATCH CORE HAT

CAMO TRUCKER HAT One-Size BLACK | 2860613 **PINK** | 2860614

BLACK | S/M | 2868579 BLACK | L/XL | 2868580 NAVY | S/M | 2868581 NAVY | L/XL | 2868582



PATCH TRUCKER HAT One-Size BLACK | 2860597 NAVY | 2860598



RETRO TRUCKER HAT One-Size GRAY/RED | 2869542 GRAY/BLUE | 2869543

MEN'S RZR



LIFESTYLE & CAPS



MEN'S ESTA TEE

S-3XL

**OLIVE HEATHER** | 2860589

CHARCOAL | 2869552

NAVY | 2869562

DASH SNAPBACK HAT One-Size BLACK | 2860595 GRAY | 2860596



KNIT PATCH BEANIE One-Size BLACK | 2860601 GRAY | 2860602




CORE SNAPBACK HAT One-Size BLACK | 2867762 NAVY | 2869544



FLEECE REVERSIBLE BEANIE One-Size CAMO/GRAY | 2868648 CAMO/BLAZE ORANGE | 2867756



# CAMO





NEW MEN'S CAMO TEE S-3XL GRAY | 2860709 BLACK | 2860710



CHOICE DOME

NEW WOMEN'S CAMO TEE S-3XL BLACK | 2860836 OLIVE | 2860837



CAMO HOODIE

S-3XL WOMEN'S | 2867898 MEN'S | 2867879

## BARWARE





POLARIS FLASK 2860812

WHISKEY ROCKS 2860813

POLARIS WOODEN COASTERS WITH BOTTLE OPENER 2860869

# **RECREATION/GARAGE**



CARD DECK 2860816

PREMIUM COOZIE 2860829



POLARIS STEEL SIGN (35.6 cm x 91.4 cm) 2860868



(56 cm) 2860867

102

AND PERSONNAL

## **GIFTS & BRANDED MERCHANDISE**





BEER FLIGHT SAMPLER 2860814



2860815

CREDIT CARD BOTTLE OPENER 2860818



LIFESTYLE & CAPS

CAMO & GIFTS

MEN'S RZA

APPAREL & HELMETS

OUTERWEAR & PROTECTION



RZR FLAG (0.9 m x 1.5 m) 2869929



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866

POLARIS ALUMINUM SIGN



1:18 SCALE RZR TOY ORANGE 2868637

1:18 SCALE RZR TOY BLUE 2866268



MINI RZR TOY BLUE 2860822



# MAKE IT YOUR RZR

# DUNES

| LIGHTING                 | P.40  |
|--------------------------|-------|
| RZR SUBZERO 4 HARNESS    | P. 70 |
| PRO ARMOR WHEELS & TIRES | P. 50 |
| ROOFS                    | P. 22 |
| DOORS                    | P. 23 |

UNLESS NOTED, TRADEMARKS ARE THE PROPERTY OF POLARIS INDUSTRIES INC. 3M<sup>\*</sup> and Thinsulate<sup>\*</sup> are registered trademarks of 3M Company. 509<sup>\*</sup> is a registered trademark of Teon Outfitters, LLC. Alodine<sup>\*</sup> is a registered trademark of Apple Inc. Bpt Store<sup>\*</sup> is a registered trademark of Apple Inc. Butedoth<sup>\*</sup> is a registered trademark of Apple Inc. Butedoth<sup>\*</sup> is a registered trademark of Dic Electronics Inc. Bluetooth<sup>\*</sup> is a registered trademark of Bluetooth Sig. Inc. Browning<sup>\*</sup> is registered trademark of Fempology LLC. CREE<sup>\*</sup> is a registered trademark of Core, Inc. Bluetooth<sup>\*</sup> is a registered trademark of Bluetooth Sig. Inc. Browning<sup>\*</sup> is registered trademark of Fempology LLC. CREE<sup>\*</sup> is a registered trademark of Coole, Inc. Mathews<sup>\*</sup> is a registered trademark of Fempology LLC. CREE<sup>\*</sup> is a registered trademark of Goole, Inc. Mathews<sup>\*</sup> is a registered trademark of Teorphology LLC. CREE<sup>\*</sup> is a registered trademark of Goole, Inc. Mathews<sup>\*</sup> is a registered trademark of Step Endemark of Teorphology LLC. CREE<sup>\*</sup> is a registered trademark of Bluetonth<sup>\*</sup> is a registered trademark of Mathews Archery Inc. Maxis<sup>\*</sup> is a registered trademark of Coole, I.t.d. MB Quart<sup>\*</sup> is a registered trademark of Mathews Archery Inc. Maxis<sup>\*</sup> is a registered trademark of Bluetonth<sup>\*</sup> of Step Endemark of Endemark of Step Endemark of Step Endemar

# ROCK

| P. 50 |
|-------|
| P. 24 |
| P. 72 |
| P. 27 |
| P. 46 |
| F     |



# DOMINATE ANY ENVIRONMENT



----

TIRE: CRAWLER XG WHEEL: FLARE - MATTE BLACK

